Form 3160—3 (November 1983) (tognerly 9—331C)

APPROVED BY __

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES DEPARTMENT OF THE INTERIOR

(Other instructions on reverse side)

٠ :

Form approved.
Budget Bureau No. 1004--0136
Expires August 31, 1985

·•	DEPARTMEN	T OF THE INTE	RIOR		5 17400 0755	,
	BUREAU OF	LAND MANAGEME	NT		5. LEASE DESIGNATION 14-20-603-36	
APPLICATIO	N FOR PERMIT			DACK	6. UF INDIAN, ALLOTTER	
1a. TYPE OF WORK	PA LON LEWALL	TO DRILL, DEEP	EN, OR PLUG	DACK	Navajo	
	ILL 😠 .	DEEPEN	PLUG BA	CK 🗆	7. UNIT AGREEMENT NA	- EM
b. TYPE OF WELL					SW-I-4192	
WELL (32) A	VELL OTHER		INGLE MULTI	PLE	8. FARM OR LEASE HAM	
2. NAME OF OPERATOR					Ratherford (Init
Phillips Oi	1 Company				9. WELL NO.	
3. ADDRESS OF OPERATOR	<u>.</u>				7-22	
P.O. Box 29	20, Casper, WY Report location clearly and	82602		· · · · · · · · · · · · · · · · · · ·	10. FIELD AND POOL, OF	
At suriace 1980	FNL, 1980' FW	I in accordance with any	State requirements."))	√ Greater Anet	
		a, bee. / 1415-	R24E 5E N	U :	11. SEC., T., R., M., OR S. AND SURVEY OR ARI	LK. BA
At proposed prod. 201	same		50		Sec. 7-T41S-	DOAR
4. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST OFFIC	·=•			
					12. COUNTY OF PARISH San Juan	Utah
O. DISTANCE PROM PROP	ly 5 miles south	D I MONTEZUMA (Creek, Utah	17 No o	F ACRES ASSIGNED	ocan
LOCATION TO NEARES	LINE. PT	Ratherford 16. N		TO TI	HIS WELL	
8. DISTANCE FROM PROI	g. unit line, if any) Unit		1680	20 2021	40 Acres	
TO NEAREST WELL, DOR APPLIED FOR, ON TH	RILLING, COMPLETED.	1270'	5700' Ment	J. LO. ROTA		
1. ELEVATIONS (Show wh		1270		1	Rotary 22. APPROX. DATE WOR	W WILL ORANGE
4734' ungrad					<u>.</u> .	
3.		PODORED CARING AN	D CEMENTING PROGR.		3rd quarter	1985
			CEMENTING PROGR.	A.M.		
17-1/2"	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	- L- <u>-</u>	QUANTITY OF CEMENT	
12-1/4"	13-3/8" 9-5/8"	48#	100'		(Circ to surfa	
8-3/4"	7"	36# 23# & 26#	1600'		(Circ to surfa	
0 3/4	,	2311 & 2011	5700'	T000 83	est (T.O.C. a	pprox 2000
oil well, to	requested to dro increase the unit will be opera	ltimate recover	y from the Rath	erford	Unit. RECEIVED	
	OF UTAH	BY THE STAT	Έ		JUN 1 7 1985	
	DATE 7/ BY: John 1 WILL SPACE	AND MINING 885 ING: A-3/Z	nil Well	i	DIVISION OF OIL GAS & MINING	
ABOVE SPACE DESCRIBE ne. If proposal is to deventer program, if any	PROPOSED PROGRAM: If p drill of deepen directional	roposal is to deepen or p ly, give pertinent data o	lug back, give data on pr n subsurface locations an	esent produ d measured	ctive sone and proposed and true vertical depths.	new productive Give blowout
SIGNED F	Stuart	TITLE	Area Manager		DATE	
(This space for Feder						
PERMIT NO.		WF	APPROVAL DATE			

Phillips Petroleum Co. Ratherford Unit LEASE _ County: San Juan State: Utah LOCATION _ / 980 FNL & /980 FWL ELEVATION _____ 4734 5280' 1980 5287 SCALE-4 INCHES EQUALS 1 MILE

DOG IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FILLD HOLF OF ACCURE SURVEYS MADE BY ME UNDER MY SUPER VISION AND THAT THE SAME ARE THUS AND CORRECT TO THE HIST OF MY KNOWLEDGE AND BELIEF.

EEAL: Registered Land Surveyor TURVEYED

N

RATHERFORD UNIT #7-22

Supplement to Form 9-331C "Application for Permit to Drill, Deepen, or Plug Back."

DRILLING PROGRAM

 Surface formation is the Dune Sand, which consists of loose windblown sand, age-recent.

Estimated tops of geologic markers:

 Shinarump
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...

- 2. Brackish water-bearing sands are expected in the Navajo, Wingate, and DeChelly formations. Oil is expected to be encountered in the Ismay and Desert Creek formations. The top of cement will be approximately at 2000'.
- 3. Blow-out preventers will be 10" Series 900 equipment to be tested initially to 3000 psi. They will be inspected and operated daily and pressure tested weekly to 1500 psi. Weekly pressure tests will be supervised by representatives of Phillips Oil Company and the drilling contractor. Tests will be recorded on the daily drilling report which will remain on the rig floor during drilling operations. BOP tests will be conducted in accordance with Phillips standards, copy attached.
- 4. a. Proposed Casing Program:
 - 1. Conductor casing:

100' 13-3/8" 48#/ft H-40 ST&C new

2. Surface casing:

1600' 9-5/8" 36#/ft K-55 ST&C new Surface casing will be tested to 1500# before drilling out.

3. Production casing:

5700' 7" 23# & 26#/ft K-55 ST&C new Production casing will be tested to 3000#.

b. Proposed Cementing Program:

1. Conductor Casing:

Conductor casing will be cemented with 150 sks Class B cement. Cement will be brought to surface.

2. Surface Casing:

Surface casing will be cemented with 300 sks "light" cement followed with 300 sks Class B cement. Cement will be brought to surface.

3. Production casing:

Production casing will be cemented with "light" cement followed with Class B cement. For cement volume, caliper will be used with 15% excess. The top of the cement should be around 2000'. If other zones with hydrocarbon potential are encountered, they will be covered with cement.

c. Auxiliary Equipment:

Auxiliary equipment will include upper and lower kelly cocks, a drill string safety valve, and a pit level indicator.

5. Drilling Fluid:

Drilling fluid will be a fresh water based mud system. Spud mud is gel and water with a weight of 8.4-8.8 ppg. From the surface to approximately 1600', gel and water will be used. Mud weight may be up to 9 ppg to control water flow from the Wingate formation. A slurry of 8.6-9.5 ppg, 32-38 viscosity, and less than 15cc/30 min. water loss will be used from 1600'-5200'. Mud weight may be increased to 10.4 ppg if a water flow is encountered. From 5200' to total depth mud properties will be 10.5-12.5 ppg, 40-45 viscosity, and below 10 cc water loss.

Adequate quantities of mud materials will be stored at the location to equal the volume of the rigs complete circulating system. A flow sensor will be used.

6. Testing, logging, and coring:

The logging program will consist of DLL, MSFL, GR, SP, and Caliper from T. D. to the surface casing. A FDC/CNL and a Micro-proximity log will be run from T. D. to 4300'. A temperature or cement bond log will be run to determine cement top. No coring or drill stem tests are planned.

7. Downhole Conditions:

Drilling in the area indicates no abnormal pressures, temperatures, or hydrogen sulfide gas.

8. Phillips anticipates starting operations in the third quarter of 1985. Drilling operations are estimated to take fifteen days per well.

. :

CULTURAL RESOURCE REPORT

Division of Conservation Archaeology has prepared a cultural resource inventory of the subject wellsite. A copy of the report has been sent to the BLM Farmington office. Pertinent information regarding the subject well is attached.

SURFACE USE PROGRAM

- 1. Existing Roads
 - a. Access to existing lease roads is approximately 5 miles south of Montezuma Creek, Utah.
 - b. The existing roads will be maintained in the same or better condition.
 - c. Refer to the attached access road map for road information.
- 2. Access Roads

Planned upgrading of existing access roads is shown on the attached map.

3. Location of Existing Wells.

Locations of existing wells are shown on the attached maps.

4. Production from the proposed well will be piped to Ratherford Unit Tank Battery #1, located in the SW SW Sec. 16-T41S-R24E San Juan County, Utah. The flowline will be visible from the existing lease roads. A plat of the proposed leadline is attached.

5. Water Supply

- a. The source of water to drill the subject well is from the River Booster, NE/4 Sec. 5., or from the Water Injection Plant, SE/4 Sec. 17 in T41S-R24E, San Juan County, Utah.
- b. The drilling water will be trucked from the water source to the subject well.
- c. A water supply well will not be drilled on the lease.

6. Construction Materials

- a. Only native soils will be used for construction of wellsite and the access road.
- b. Pit run rock will be used on the wellsite and access road when needed.

٠.

c. The above materials are owned by the Navajo Tribe.

7. Waste Disposal

- a. Cuttings: Cuttings will be contained in a fenced reserve pit until dry enough to egyer. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- b. Drilling Fluid: Drilling fluid will be contained in a fenced reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- c. Garbage/Trash: All garbage and trash will be put in the burn pit. The burn pit will be fenced on four sides. After the burn pit is no longer in use, the trash and garbage will be covered with a minimum of 4 feet of fill.
- d. Salt: No salts are anticipated on this well. If salt is present, it will be disposed of in the reserve pit.
- e. Chemicals: Chemicals will be disposed of in the reserve pit.
- f. Sewage: Dry chemical toilets will be used.
- 8. Ancillary Facilities

No ancillary facilities are required.

- 9. Well Site Layout.
 - a. Refer to attached Rig Layout plat
 - b. There are no plans to line the reserve pit unless porous soil materials are encountered during construction.

10. Surface Reclamation Plans

- a. Construction Program: The top 8 inches of surface material will be removed and stockpiled. A cross section of the drill site showing cuts and fills is attached.
- b. Well Abandonment: All disturbed areas will be shaped to the natural topography and seeded in accordance with BLM requirements.

- c. Producing Well: Those areas not needed for production purposes will be recontoured to the surrounding topography. Seeding will be in accordance with BLM requirements.
- d. Pipelines and flowlines: Flowlines will be above ground and follow or be visable from existing roads.
- e. Rehabilitation will begin as soon as possible, considering weather and other factors, and proceed per recommendation of the BLM. The reserve pit will be reclaimed once it dries.
- 11. Surface Ownership: The wellsite location, access road and leadline are on the Navajo Indian Reservation. No dwellings are in the proposed drilling area.
- 12. Other information:

The reserve pit will be lined if needed to contain drilling fluids. The reserve pit will be fenced on three sides during drilling and on the fourth side after the rig is moved out.

- 13. Operator's Representative and Certification.
 - a. Field Representative:


A. E. Stuart P. O. Box 2920 Casper, Wyoming 82602 307-237-3791


I hereby certify that I or persons under my direct supervision have inspected the proposed drill site and access route; and I am familiar with the conditions which currently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with operations proposed herein will be performed by Phillips Oil Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.


Date June 12, 1985


A. E. Stuart Area Manager

RCT/fb (18) Casper - RC











PHILLIPS OIL COMPANY # RATHERFORD UNIT
SAN JUAN COUNTY, UTAH



A-A' Vert: 1"=30' Horiz: 1"=100' C-L

B-B *	 		, 	C-L	
	 		 		
· · · · · · · · · · · · · · · · · · ·	 			i garanti da ara ara ara ara ara ara ara ara ara	
PAD	 	TITT	Time	<u>t</u>	
	 			- TAR	
·	 				
					

SENW Sec 7-T415-E24E




1 RESERVE PIT
2. TEASH FIT
3 CIR. PITS = Pump
4 RIG
5 CLAT LEMER + Pipe RACES

6. TRAILERS

DRILLING RIG LAYOUT

Cuttine of Location Appreximately 300' x 350'



" **≈** 1

- 2" FE PRESSURE-OPERATED CHOKE LINE
- 2" FE CHOKE LINE TO MANIFOLD
- 2" FE GATE VALVES
- 2" FE KILL LINE
- 10. 2" SE OR FE GATE VALVE WITH NEEDLE
- VALVE 11. CASING HEAD HOUSING

Figure 7-10. Standard Hydraulic Blowout Preventer Assembly (2 M or 3 M Working Pressure) Alternative 3 (without Drilling Spool)

Well Control 4 January/83

PHILLIPS PETROLEUM COMPANY

Page 251 Section II

FIELD PRACTICES AND STANDARDS

7.6 Testing Surface Blowout Preventer Equipment

7.6.1 Pressure Test Frequency

All rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves shall be pressure tested at the following frequencies:

- (1) Initial installation of blowout preventers.
- (2) After setting casing, before drilling cement.
- (3) Every 7 days or on first trip out of hole after 7 days since previous pressure test.
- (4) After any component of the blowout preventer assembly is disturbed, replaced or repaired (this includes lines, valves, or choke manifold). In this case, the component changed may be the only component tested.
- (5) Prior to conducting first drill stem test in a series of one or more DST's.
- (6) Any time the Phillips Wellsite Supervisor deems necessary, such as prior to drilling into suspected high pressure zones.

7.6.2 Function Test Frequency

All rams, annulars, valves, and other items specified below, shall be function tested at the following frequencies.

- (1) On initial installation from driller control and remote panel.
- (2) Each trip out of hole alternating between driller's and remote control panel but not more than once every twenty-four (24) hours. Close pipe rams or annular preventer CNLY on drill pipe.

7.6.3 Test Pressures

Use the following table to identify which test is appropriate and at what pressure.

TEST	DESCRIPTION
Low Pressure	Test to 200-300 psi prior to each high pressure test.
Initial Installation	Test all rams, annulars, valves, choke manifold, kelly cocks, and safety valves to the lesser of the following pressures.
	Rated working pressure of the component in the blowout preventer assembly with the exception of annular preventer which is to be tested to 70% of the rated working pressure.
	. The API rated casing burst pressure of the last casing to be utilized in the well with the BOP assembly being tested.
	. Rated working pressure of the casing head.
	. If "Cup Tester" is used do not exceed 80% of the API rated burst pressure of the casing.
Repair	Repaired or replaced components are to be tested to the same pressures used in the Initial Test.

FIELD PRACTICES AND STANDARDS

7.6.3, cont'd

TEST	DESCRIPTION
Weekly and After Setting Casing	Test all rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves, to the lesser of the following pressures.
	. 50% of the rated working pressure of the component to be tested.
	. 80% of the API rating of the casing burst pressure then in the well.
	 Test blind rams during internal casing pressure test. (Refer to drilling program for test pressures).
DST Operations	Test all pipe rams, annular preventers, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves to the maximum anticipated surface pressure expected while conducting drill stem tests. Do not test annular to more than 70% of its working pressure.
Shallow Casing	Where cased hole is less than 2000 feet measured depth, the test pressure may be 1.5 psi per foot of casing depth, not to exceed 80% of the API rated burst pressure. In the case of shallow conductor casing or drive pipe (500 feet or less) that is equipped with one BOP, then the test pressures do not need to exceed 1.0 psi per foot of casing depth.
Accumulator	Test accumulator to the manufacturer's rated working pressure. Test the accumulator for time to pump up to specifications.

7.6.4 Blowout Preventer Test Practices

(1) All pressure tests shall be witnessed by Phillips' Representative and the Contractor's Senior Supervisor on Location. All tests shall be recorded on the Phillips' Daily Drilling Report, the IADC Report and the BOP Test Form; see Figure 7-13. A reproducible copy of the BOP Test Form (Figure 7-13) can be found in Section III.

FIELD PRACTICES AND STANDARL

7.6.4, cont'd

- (2) Hold all low pressure tests for three minutes and high pressure tests for five minutes or until Phillips Representative and the Contractor's Senior Supervisor are satisfied no leaks exist.
- (3) A detail procedure for the testing of blowout preventer and choke manifold equipment will be included in the drilling programs. procedure is to be distributed for each drilling unit under contract by the operating office. Each operating office must include the following practices:
- a. Prior to testing, all lines and valves will be thoroughly flushed to ensure the system is clear. Test all opening and closing control lines to 1500 psi and inspect for leaks.
- b. If necessary, run a stand of drill collars below the test plug to prevent unseating the test tool during testing.
- c. All precautions must be taken to avoid pressuring the casing below the test tool.
- d. The running string is to be full of water (or antifreeze solution) for immediate indication of test tool leakage.
- e. All pipe rams, blind/shear rams, blind rams, annular preventers, valves, fail-safe valves, choke and kill lines are to be tested at the frequencies and pressures outlined in this section.
- f. Drill pipe safety valve, lower and upper kelly cocks are to be tested from below at pressures and frequencies outlined in this section.
- g. All test fluids are to be bled back to the pump unit in safe manner.

7.6.5 Testing Wellhead Pack-offs

The wellhead pack-off is to be pressure tested upon installation for five minutes. Test pressure is to be 80% API rated casing collapse or the rated working pressure of the casing head whichever is the lesser. Casing annulus valve(s) must be in open position to prevent casing collapse during pack-off testing.

When testing the wellhead pack-off, use recorded test pressures and volumes to determine if pack-off is leaking. Pressure should be immediately released at the first indication of a leak.

FIELD PRACTICES AND STANDARDS

7.6.6 Safety Precautions

One pumping unit operator is to be stationed at the high pressure pumping unit, and is to remain at this station until all testing has been completed. The pump unit operator is to be in continuous communication with the person who is recording the test data. The Phillips Wellsite Supervisor and Contractor's Senior Supervisor on location will be the only personnel who will go into the test area to inspect for leaks when the equipment involved is under pressure. The rig crews are to stay clear of the area until such time that both the Phillips Wellsite Supervisor and the Contractor's Senior Supervisor have contacted the pumping unit operator and all three have agreed that all pressure has been released, and there is no possibility of pressure being trapped. The rig crews may then go into the area to repair leaks or work as directed.

All lines, swings, and connections that are used in the testing of the blowout preventers are to be adequately secured in place.

Pressure is to be released only through the pressure release lines that are vented back into the pump unit tanks. The lines are to be clamped down to direct the flow into unit tanks.

Well Control 4 January/83 Project No. 19-85-C BIA DCA-85-187 NAO-BIA Use Authorization No. 84-DCA-013-1 (Navajo) Navajo Nation Permit No. 84-22

State of Utah No. U-84-3

An Archaeological Survey of 17 Well Pads and Their Access Routes and Pipelines near White Rock Curve Village, San Juan County, Utah

for

" & 1

Phillips Petroleum Company

	Ratherford	Unit:
1-14	12-21	17-31
7-11	12-32	17-42
7-13	12-43	18-22
7-22	16-13	18-31
7-44	17-11	18-42
12-12	17-22	

bу

Roger A. Moore and Timothy M. Kearns Supervisory Archaeologists

Submitted by

Margaret A. Powers Principal Investigator

DIVISION OF CONSERVATION ARCHAEOLOGY

Contributions to Anthropology Series, No. 963
San Juan County Archaeological Research Center and Library

Table 1 Legal Description for Well Pads

LEGAL DESCRIPTION								UTM COORDINATES						
Well								Cente	r of Well	Pad	End	of Access 1	oute (pipel	line)
Pad No.	AFE #	T	R	Sec.	1/4	1/4	1/4	Zone	Northing	Easting	Zone	Northing	Easting	
1-14	POC-R259	41S 41S	23E 23E	1 12	N 1/2	SW NW	sw Nw	12	4123375	646550	12	4122960	646600	
7-11	POC-R258	418	24E	7	E 1/2 S 1/2 NE W 1/2	W 1/2 NE SE SW	NW NW NW	12	4122800	648200	12	4122800 (4122025	648000 648200)	
7–13	POC-R257	41S	24E	7	N 1/2 W 1/2	nw ne	sw sw	12	412075	648200	12	(4122025	648500)	
7-22	POC-R256	418	24E	7	CT W 1/2 W 1/2	SE SE NE	nw nw sw	12	4122450	648600	12	4121975 (4122025	648575 648500)	ω
7-44	POC-R253	418	24E	*	SW S 1/2	se Ne Nw	SE SE SE	12	4121625	649475	12	(4122025	648500)	
12-12	POC-R252	418	23E	12	N 1/2 NE	SW SE NE	nw nw sw	12	4122650	646560	12	4122300 (4122450	646575 647150)	
12-21	POC-R251	415	23E	12	E 1/2 NE	ne se ne	NW NW SW	12	4122975	646940	12	4122900 (4122450	647150 647150)	
12-32	POC-R250	418	23E	12	NE NW E 1/2 NE	SW SW SE NE	ne ne nw se	12	41 226 50	647450	12	4122775 (4122450	647375 647150)	

Table 2 Area Surveyed

	Well Pad No.	AFE #	Footages for Well	Well Pad ^l	Access Route ¹	Pipeline ¹	Acres
	1-14	POC-R259	660° F/SL 660° F/WL	300° x 350°	1600° x 20°	900' x 20'	7.58
			DOO I/WL	(400′ x 450′)	(1600° x 60°)	(900′ x 60′)	
	7-11	POC-R258	660° F/NL	300° x 350°	600' x 20'	3400' x 20'	10.19
			710° F/WL	(400′ x 450′)	400' x 20' (1000' x 60')	(3400° x 60°)	
)	7-13	POC-R2 57	2110' F/SL	300′ x 350′	,	10006 006	
	7 13	100-8237	740° F/WL	(400' x 450')	time data data fasa	1000' x 20' (1000' x 60')	5.51
	7-22	POC-R2 56	1980' F/NL*	300′ x 350′	1350′ x 20′	100' x 20'	6.66
			1990' F/WL	$(450^{\circ} \times 450^{\circ})$	$(1350^{\circ} \times 60^{\circ})$	(100° x 60°)	
	7-44	POC-R253	625° F/SL*	300' x 350'		4000' x 20'	11.25 [ൃ]
			560° F/EL	(500' x 500')		$(4000^{\circ} \times 60^{\circ})$	
	12-12	POC-R252	1850' F/NL	300° x 350°	50′ x 20′	2000' x 20'	8.51
			660° F/WL	(450° x 550°)	$(50^{\circ} \times 60^{\circ})$	$(2000' \times 60')$	
	12-21	POC-R251	;660° F/NL	300' x 350'	400′ x 20′	2300' x 20'	7.85
			1980° F/WL	(400° x 450°)	(400° x 60°)	$(2300^{\circ} \times 60^{\circ})$	
)	12-32	POC-R250	1820° F/NL	300′ x 350′	300' x 20'	700′ x 20 ′	6.03
			1820' F/EL	(450′ x 450′)	(300° x 60°)	$(700^{\circ} \times 60^{\circ})$	
	12-43	POC-R249	2100° F/SL	300° x 350°	··· ·· · ·	3000 x 20	8.27
			660' F/EL	(400′ x 450′)		$(3000' \times 60')$	
	16-13	POC-R248	1980° F/SL	300° x 350°	230' x 20'	2400' x 20'	7.76
	Ĩ.		660° F/WL	(400′ x 450′)	(230' x 60')	$(2400^{\circ} \times 60^{\circ})$	
• 1	17-11	POC-R247	1075° F/NL	300° x 350°	400' x 20'	3100° x 20°	8.95
			800° F/WL	(400′ x 450′)	(400′ x 60′)	$(3100^{\circ} \times 60^{\circ})$	

•

Table 3 Isolated Loci Descriptions

	LEGAL	DESCI	RIPTION		UTM		
 Well No.	<u>T</u>	R	Sec.	Zone	Northing	Easting	Description
1-14	415	23E	1	12	4123375	646525	One gray quartzite multidirectional core; 14 x 12.5 x 9cm.
1-14	418	23E	1	12	4123400	646525	One chert tertiary core reduction flake, completely covered by desert varnish; 7cm long, 5cm wide, 2.5cm thick.
1-14	418	23E	1	12	4123100	646600	Historic dump: one early 1950s Chevrolet 4-door sedan, two 2.5-gallon gas cans, five rusted Coors cans (opened with church key), steel cable, three Dr. Pepper bottles, one pair of rubber boots (size 9), three 1-qt metal oil cans.
7–13	41 S	24E	7	12	, 4122100	648250	About 40 pieces of scrap iron (pipe, angular chunks and angle iron).

648225

418 24E 12 4122465 7-22 648610

12

4122095

24E

41S

One core, one core fragment, six flakes; core fragment and flakes all from this core. Material: desert varnish to reddish tan cortex, tan banding just under cortex, interior is light greenish gray chert. Flakes: three large secondary core reduction and three large tertiary core reduction.

One white chalcedony biface fragment 3cm long, 2.2cm wide, 0.6cm thick.

IL No.

1

2

3

5

7-13

Well 7-22

The proposed well pad is in a deeply dissected area of the dune field just west of Flat Top Mountain. The scrubland community provides about 10 percent cover dominated by Mormon tea, narrowleaf yucca, and snakeweed. An old two-track road cuts through the center of the pad from east to west along the ridge of the dune. From the west side of the pad the access follows this two-track 130 ft west, heads south about 900 ft toward the satellite station, then runs southeast 150 ft to well 7-23. The pipeline right-of-way will parallel the access route to the satellite.

Cultural Resources: One isolated locus was found on the well pad. IL 6 is unusual because it consists of a core and seven flakes removed from the core, none of which fit back onto the core, and none of which fit together. Flake scars on the core indicate that at least six more flakes were removed. These may be under the soil, or may have been removed by the person making them for a specific use. The core was probably procured from the base or slopes of Flat Top Mountain.

Recommendations: Archaeological clearance is recommended because the isolate contains little additional research value.

Well 7-44

The proposed well is on the top of Flat Top Mountain on the top mesa bench. The shadscale here community provides about 15 percent cover.


The original location was on the west edge of the bench (625' F/SL, 560' F/EL. The revised well location is 100 ft farther northeast on the vector of the original pad's B-B' line (Figure 2).

A pipeline runs along the southwest edge of the revised location, and a bladed road, which provides access, cuts through the pad from southeast to northwest. The pipeline right-of-way follows the west edge of this road northwest 1100 ft to a "T" intersection, then follows the south side of the road 1700 ft southwest to the main Flat Top Mountain road. The pipeline crosses the road and follows an existing pipeline and the 7-24 pipeline northwest down the side of Flat Top Mountain to the satellite in Section 7.

Cultural Resources: Five isolated loci (all flakes) and three sites were recorded. IL 7 is 70 ft south of the pad, IL 8 and 9 are along the west side of the revised pad location, and IL 10 and 11 are along the access road, and sites DCA-85-11 and DCA-85-12 are in the reserve pit area of the original pad location. Site DCA-85-13 is along the access road about 800 ft north of the pad. Site DCA-85-11 and DCA-85-13 are lithic quarries. Site DCA-85-12 is an historic sheep pen. The sites are further described in the next section of this report.

The revised pad location will avoid impacting sites DCA-85-11 and 12. The west edge of site DCA-85-13 is cut by the bladed road, which appear to have removed the cultural deposits. Phillips Petroleum Company has agreed to keep the pipeline within the bladed area of the road to prevent additional impact to the site.

FIGURE 1



DIVISION OF CONSERVATION ARCHAEOLOGY San Juan County Museum Association

April 19, 1985

Mr. Jon Weichbrödt Phillips Petroleum Company P.O. Box 1150 Cortez, Colorado 81321

~ 41

Re: BIA DCA-85-187

Dear Mr. Weichbrodt:

Our report on the archaeological survey of 17 well pads, access roads and pipeline right-of-ways in the Ratherford Unit, San Juan County, Utah is enclosed. Six sites and 34 isolated loci were found.

We have recommended clearance for all 17 locations (with stipulations for wells 7-44, 12-12 and 18-22 (see report for details)). Wells 7-24 and 7-33 require further treatment of archaeological sites and will be submitted in a separate report so they will not delay construction of the others.

The Bureau of Indian Affairs will review this report and make the final decision on archaeological clearance for your project. The Bureau of Indian Affairs in Window Rock should notify the Real Property Management office of the Shiprock Bureau of Indian Affairs of its decision.

An invoice will follow. We have enjoyed working with you and hope we can be of service again. If you have any questions, please call us. We will be happy to help you.

Sincerely,

Roger A. Moore

Supervisory Archaeologist

se a More

cc: Mark Henderson, BIA, Window Rock (6)
State Historic Preservation Office, Salt Lake City

APPL ATION TO APPROPRIA WATER STATE OF UTAH

NOTE:—The information given in the following blanks should be free from explanatory matter, but when necessary, a complete supplementary statement should be made on the following page under the heading "Explanatory." For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to the State Engineers have the following the followi neer, based upon the following showing of facts, submitted in accordance with the requirements of the Laws of Utah. 1. Irrigation

Domestic
Stockwatering
Municipal
Power
Mining
Other Uses 2. The name of the applicant is PHILLIPS PETROLEUM COLPANY 3. The Post Office address of the applicant is Bartlesville, Oklahoma

4. The quantity of water to be appropriated is second-feet or acre-feet 5. The water is to be used for See Explanatory from January 1 to December 31 (Month) (Day) (Month) (Day) (Major Purpose) other use period. (Month) (Day) (Month) (Minor Purpose) and stored each year (if stored) from (Month) (Day) (Month) 6. The drainage area to which the direct source of supply belongs is..... (Leave Blank) 7. The direct source of supply is* Underground water and subsurface flow of San Juan River · · im or other source) Colorado River *Note.—Where water is to be diverted from a well a tunnel or drain, the source should be designated as "Underground Water" in the first space and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indicate in the first space, giving its name, if named, and in the remaining spaces, designate the stream channels to which it is tributary, even though the water may sink, evaporate, or be diverted before reaching said channels. If water from a spring flows in a natural surface channel before being diverted, the direct source should be designated as a stream and not a spring. which is tributary to a stream and not a spring. San Juan The point of diversion from the source is in..... 8. The point of diversion from the source is in

Son Earless Cory #1-S.1000 ft. and W. 150 ft.; #2-S.1000 ft. and W. 150 ft.;

#3-S.1000 ft. and W. 750 ft.; #1-S.1000 ft. and W. 1050 ft.; #5-S.1000 ft. and
W. 1350 ft.; #6-S.1000 ft. and W. 1650 ft.; #7-S.1000 ft. and W. 1950 ft.;

#8-S.1000 ft. and W. 2250 ft.; #9-S.1000 ft. and W. 2550 ft.; and #10-S.1000 ft. and
W. 2850 ft.; all from NE Cor. Sec. 5. This, Relie. Slice. (See letter of #10-5/2ttach

*Note.—The point of diversion must be located definitely by course and distance or by giving the distances south, and east or west with reference to a United States land survey corner or United States mineral monument, if within a distance of six miles of either, or if at a greater distance, to some prominent and permanent natural object. No application will be received for filing in which the point of diversion is not defined definitely.

See Explanatory 9. The diverting and carrying works will consist of See Explanatory 10. 'If water is to be stored, give capacity of reservoir in acre-feet height of dam...... height of dam..... area inundated in acres legal subdivision of area inundated 11. If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows: 12. Is the land owned by the applicant? Yes..... No..... 13. Is this water to be used supplementally with other water rights? Yes...... No............ If "yes," identify other water rights under explanatory. 14. If application is for power purposes, describe type of plant, size and rated capacity..... oil field where the following ores are mined oil and gas 16. If application is for stockwatering purposes, number and kind of stock watered..... 17. If application is for domestic purposes, number of families to be served...... 18. If application is for municipal purposes, name of municipality 19, If application is for other uses, include general description of proposed uses..... 20. Give place of use by legal subdivision of the United States Land Survey for all uses described in paragraphs 14 to 19, incl....... See Explanatory...... and _____ second feet will be returned to the natural stream or source at a point described as follows:

**	EXPLANATORY
The following additional facts are posed application:	e set forth in order to define more clearly the full purpose of the pro-
	ITEM >
mater will be injected under	d from the diversion area to the oil field where the pressure through deep wells into the petroleum-bearing
Tormations for pressure main	tenance and secondary recovery purposes.
	IVEN: 8
ichis sim, san Juan County, si	diversion from the source will be in Section 5, T41S, ituated as follows: From that point at which the
south bank of the river chara	ne_ intersects the east line of Section 5, Tals, R2/E
of Section 5, T41S, R2/E.	outh bank of river channel intersects the North line
	one or more wells or infiltration galleries to be
drilled in the alluvial fill	and to be located as close to the South bank of the
Tiver channel as is practical	within the east-west limits as above defined.
Specific location and number	diversion points will be determined by a hydrographic
survey and/or producing crara	steristics of wells to be drilled. The aggregate with-
drawar, the rate of which is	not to exceed that specified in this uppileacion, ditte
	works described in greater jetail herein. ITEM 9
The diverting and carryi	ng works will consist of 12-1/4" diameter wells, cased
with 35 to 50 feet of 8-5/8 is	nch outside diameter pipe to be drilled to depths of
from 35 feet to 50 feet and a	bout 1:, 00 feet of 10-3 4 inch conveyance pipe to
places of use.	
	1TEM 20
Township 41 Sout	th, Range 23 East, SLM
S/2 Sec. 1; SE/4 Sec. 2; E/2 Sec. 24.	Sec. 11; All Sec. 12; All Sec. 13, E/2 Sec. 14, NE/4
Township 41 Sout	th, Range 24 East, SIM
All Sections 3, 4, 5, 0, 7, 8	, 9, 10; W/2 Sec. 11, W/2 Sec. 14; All Sections 15, lo,
17, 18, 19, 20, 21: NW/4, W/2	SW/4 Sec. 22; W/2 IE/4, 111/4, W/2 SW/4 Sec. 28; All
Sections 29, 30; N/2 Sec. 31;	N/2 Sec. 32.
Said described lands, whi	ch _e san Juan County, Utah, constitute the
Ratherford portion of the Grea	ter Aneth Area oil field.
	Continued on page 4
(Use pa	ge 4 if additional explanatory is needed.)
The quantity of water	sought to be appropriated is limited to that which ially used for the purpose herein described.
	THILLYTO
/	PHILLIPS PETROLEUM COMPANY
	_By: L. Cotto
	Signature of Applicant
*If applicant is a corporation or other or	TICE PRESIDED OF PROJECTION OF THE PRINT OF

by its proper officer, or in the name of the partnership by one of the partners, and the names of the other partners shall be listed. If a corporation or partnership, the affidavit below need not be filled in. If there is more than one applicant, a power of attorney, authorizing one to act for all, should accompany the Application.

DECLARATION OF CITIZENSHIP

STATE OF UTAH, County of			
On the		, personally appeared hat he is a citizen of the I	before me, a nited States,
My commission expires:	•	POOR	GOPY
/CTATA			

FEES FOR APPLICATIONS TO APPROPRIATE WATER IN UTAH

Flow rate — c.f.s.	Cost	
0.0 to 0.1	20.00	1.00 cfs
over 0.5 to 1.0	100.00	331.5
0 to 20	30.00 plus \$5/500 a. f. a	bove first 500

(This section is not to be filled in by applicant)
/L:L:A: MI STATE ENGINEER'S ENDORSEMENTS
1 Feb. 27, 1961 Application received by mail over counter in State Engineer's office by
2. Priority of Application brought down to, on account of
2
3. 1. 27.1411 Application fee, \$:55 , received by Rec. No.02265
4. Mice 10, 1961 Application constitute book 71132 page 357, and indexed by 19 The
5.7 (Application platted by All 2) 11-2-12-14(1-6) agul (Mac. 4)
4. Mac 10, 1961 Application comments book 71132 page 327, and indexed by 16 The same of th
6. Upil 1.1961. Application examined by ME.
7
i
8Corrected Application resubmitted by mail to State Engineer's office.
9. Upul 7, 1961 Application approved for advertisement by 1116.
10. Jane 16,196! Notice to water users prepared by R. K. H.
11. June 27, 196/Publication began; was completed July 13, 196
Notice published in Jan Just Mantella, Tela
10. June 16/96/Notice to water users prepared by R. K. H. 11. June 27, 196/Publication began; was completed July 13, 196/ Notice published in June June Raway monticello, 7cla 12. June 27, 196/Proof slips checked by July 13 Application protested by
13VApplication protested by
July 25, 1961. Fullater paid me 2 2-10/6 200
July 23, 1961. The face me 12-1 - 12
1/4. Hearing held by
15. Field examination by approval approval flat
17. Sept. 11, 196 Application copied or photostated by T.E. proofread by
17. Sept. 11. 1961 approved
18. Sept. 11, 1961Application approved rejected
19. Conditions:
This Application is approved, subject to prior rights, as follows:
a. Actual construction work shall be diligentily prosecuted to completion.
b. Proof of Appropriation shall be submitted to the State Engineer's office by Feb. 28, 1963 c.
C
Mayne D. Cichelle
Wayne D'Criddle State Engineer.
20Time for making Proof of Appropriation extended to
21Proof of Appropriation submitted.
22
Application No. 3.2773

. •		- 7		8	٠		
P	Ď	Ā	N	•	١.	4	

EXPLANATORY CONTINUED

The use of the applied for water for the planned pressure maintenance	,
and becondery recovery operations will permit the recovery of substantial	
quantities of oil and gas which would otherwise not be recovered.	
1	
	 _
	<u>`</u> -
·	

NOTICE TO APPLICANT

POOR GOPY

All waters in this state, whether above or under the ground, are the property of the public, subject to all existing rights to the use thereof. No appropriation of the unappropriated public water may be made and no rights to the use thereof shall be recognized except Application for such appropriation first be made to the State Engineer.

The approval of this Application is not a Certificate of Appropriation. It is merely your authority to begin construction work, which must be prosecuted diligently to completion. To secure a Certificate of Appropriation under this Application, Proof of Appropriation must be submitted within the time limit allowed by the State Engineer. The amount of water for which Certificate will be issued will depend upon the amount of water actually put to a beneficial use, not to exceed, however, the amount of water appointed in this Application. Proof of Appropriation must be made in accordance with the requirements of the law. For further information write the State Engineer.

1. service Willed M

October 13, 1961

AIRVAIL

Mr. Clair M. Senior Senior & Senior Attorneys at Law 10 Exchange Place Salt Lake City, Utah

> Re: Alternate or Additional Source of Water for the Ratherford Unit, San Juan County, Utah

Dear Clair:

Herewith in triplicate is completed and signed application to the Utah State Engineer for additional and alternate points of diversion for water for water-flood purposes in the Ratherford Unit. I would appreciate it if you would handle this matter with the Water Engineer and, as diplomatically as possible, urge upon him the importance of expediting the matter as much as possible.

Having gotten these papers back from the Production Department too late to get a check for the filing fee, I would ask that you advance the fee and, upon being billed, I will send you the check.

If you need any additional information, please advise.

Very truly yours,

RW:jd Enclosures

cc - Mr. Shofner Smith

R. M. Williams

POOR COPY

ShoreMSE Legal

Ben 107-0-57-2M 10-8-1-

Application for Permanent Change of Point of Diversion, Place and Nature of Use of Water STATE OF UTAH

Do not fill out this blank until you have read carefully and thoroughly understand the "Rules and Regulations" on the back hereof and all the notes in the body of it.

	District Control of the control of t	
		Strike out written matter not needed)
water ri	ight acquired by original Application No. 32 (Give No. of Application, certificate of appropriation, title and o	7.73 late of Decree or other identification of right)
to that	hereinaster described, application is hereby made to the State Eng	
	, submitted in accordance with the requirements of the Laws of Ut	
υ)	The name of the applicant is Phillips Petroleum Com	pany
1.	The post-office address of the applicant is Bartlesville,	Oklahoma
2.	The post-office adaress of the applicant is	
3.	†The flow of water which has been or was to have been used in s	XX
4.	†The quantity of water which has been or was to have been used in	nuary 1 December 31
5.		onth) (Day) (Month) Day)
6.	†The water has been or was to have been stored each year from	onth) (Day) (Month) Day)
7.	The drainage area to which source of supply belongs is	(Leave blank)
	The direct source of supply is Underground water a	nd subsurface flow of San
	n Juan County.	
	†The point of diversion as described in the original Application	
been die	verted if situated at & point s in Section 5, T. 415.	No. 22772
cula	rly set out in the original Application	NO. 32//3.
10	†The water involved has been or was to have been used for the fe	ollowing purposes:
	Pressure maintenance and secondary rec	
	**************************************	•
NO?	TE—If for irrigation, give legal subdivision of land and total acreage which purposes, give nature, place and extent of use or proposed use.	
	†The point at which water has been or was to have been retu	rned to the stream channel is situated as
	xx	
jonows.		
NOT	TE-The above space is to be filled in only when all or part of the water is	returned to the natural stream or channel.
	The Following Changes Are	Proposed
12.	The flow of water to be changed in cubic feet per second is	o change
	miles of a second by about all in accordance in XX	
	January I	December 31 well
17.	(Month) (Da	y) (Month) (Day)
× 15.	The water will be used each year from (Month) (Da The water will be stored each year from (Month) (Da	y) (Month) (Day)
16.	The point at which it is now proposed to divert the water is situa	ted (See note)
NO	TE—The "point of diversion," or "point of return," must be located by conference to some regularly established United States land corner or United siles of either, or if a greater distance, to some prominent and permanent in	ourse and distance or by rectangular distances. States mineral monument if within a distance
17.	The proposed diverting and conveying works will consist of well	Ls_and_conveyance_pipe_as.
es	xplained in original Application No. 327	73
	The cross-section of the diverting channel will be.	(Strike out ones not needed)
10	The nature of the diverting channel will be: earth, wood, iron,	,
1 T.	with temporal of the management according any amount of the contract of the co	

19. The nature of the diverting channel will be: sarth, wood, fron, concrete.

(Strike out the ones not needed)



THE STATE OF UTAH OFFICE OF STATE ENGINEER SALT LAKE CITY

September 11, 1961

RECEIVED

WAYNED GRIDDSF

PRODUCTION

DEPARTMENT

Phillips Petroleum Company Bartlesville, Oklahoma

Gentlemen:

RE: APPROVED APPLICATION NO. 32773

Failure on your part to comply with the requirements of the statutes may result in forfeiture of this application.

Eff q/15/4'
ADDRESS ALL COMMUNICATIONS TO:

Yours truly,

Wayne D. Criddle

STATE ENGINEER STATE CAPITOL BUILDING SALT LANE CITY, UPAH

js
Encl: Copyof approved application

APPLICATION APPROVED

NOTICE TO APPLICANT

The approval of this Application is not a certificate of change. It is merely your authority to begin construction work, which must be diligently prosecuted to completion. To secure a certificate of change under this Application proof of change must be submitted within the time limit allowed by the State Engineer. The amount of water for which certificate will be issued will depend upon the amount of water actually put to a beneficial use, not to exceed, however, the amount of water covered by the original right. For further information write the State Engineer.

RULES AND REGULATIONS

Applicants will save time and expense by familiarizing themselves with the law before making Applications.

If the reservoir is to be located on the channel of the source from which the water is to be appropriated, it should be so stated under explanatory, and—

- 1. The location of the impounding dam should be described in Paragraph 16.
- 2. The point where the released storage will be rediverted from the natural stream should be described under explanatory in accordance with the note under Paragraph 16.

When the water is to be stored in other than the natural channel of the source from which it is to be appropriated, it should be so stated under explanatory, and—

- 1. The point of diversion from the supplying source should be described in Paragraph 16.
- 2. The intersection of the longitudinal axis of impounding dam and centerline of stream channel or drainage and a similar point where the released storage will be rediverted from a natural channel should be described under explanatory in accordance with the note under Paragraph 16.

In all cases Paragraphs 17 to 27, incl., should describe the proposed diverting and carrying works, exclusive of natural channels, even if already constructed in whole or in part.

If it is proposed to collect the water of a number of springs or other sources at a common point, said point should be described as the point of collection in Paragraph 16, and the point of diversion from each source should also be described under explanatory in accordance with the note in Paragraph 16. The quantity of water sought from each source should be indicated under explanatory, the total equaling the quantity specified in Paragraphs 12 or 13. Where the source of supply is in reality a spring area, the point of diversion is the point where the water is collected; in such case the exterior boundary of the spring area must be described under explanatory by metes and bounds and located with reference to the same point as used in describing the point of collection and as outlined by the note under Paragraph 16.

No enlargement of an original water right may be made by a change Application, either as to quantity of water covered, period of use or otherwise.

When there are two or more coapplicants the Application must be accompanied by a power of attorney.

The applicant's permanent address should be given in Paragraph 2, and the State Engineer notified promptly of any change in address; otherwise applicant may lose rights initiated by Application by failing to receive notices sent from the State Engineer's office.

No Application or other paper pertaining to an Application will be marked received unless accompanied with the required filing fee.

Applications accepted and numbered by the State Engineer, when returned to applicant for correction or additions, must be amended with red ink. Erasures must not be made, but any matter may be eliminated by running a red line through it. Corrected Applications must be resubmitted to the State Engineer's office, within sixty days from the date of State Engineer's letter returning Application for correction; otherwise the priority of the right to change will be brought down to date corrected Application is resubmitted.

Applicants will be informed by the State Engineer's office when cost of publishing notice of Application is due, and must advance cost within sixty days after date of notice, otherwise Application will lapse.

Fees Required by Law Payable to State Engineer

For examining and filing Applications for change of point of diversion, place and nature of use\$2	50
For approving and recording Applications for change of point of diversion, place and nature of use	.50
For filing written proof of change	.00
For examining maps, profiles and drawings that are part of the proof of change	.00
For issuing certificate of change	.00

NOTE—In addition to the above fees applicants must pay the cost of publication of "Notice to Water Users" concerning the proposed change.

20.	The length of the diverting channel, exclusive of (If an existing channel is used give only the length	laterals, will be 15,000	
21.	The top width of the diverting channel will be	(if a deal VV	,
22.	The bottom width of the diverting channel will	he (if a line)	feet
23.	The depth of water in the diverting channel wi	Il he lit a link XV	feet
24.	The width of diverting channel will be (if a flu	me (if a aiten)XX	feet
25.	The depth of water in the diverting channel wi	ll he /if a floor) YY	feet
26.	The diameter of the diverting channel will be	(if a hina)	feet
27.	The grade of the diverting channel will be	21.4	2inches
28.	The point at which it is proposed to return the	under 1 /C	feet per thousand
- ** **********	**************************************	·	
29.	The water is to be used for the same original Application No.	***************************************	the

	***************************************	Total	XX
posed us	e. If for power give number, size and make of wheel where power will be used.	be irrigated. If for other purposes, give place s, head under which they will operate, total H. l	and extent of pro- P. to be developed
30.	The character of the soil to be irrigated is	XX subsoil XX	
1401	belied in only when proposed	change in faction to	
desig	If paragraph 12 designates that only part of the nate the status of the water so affected by this ch	ange as to its being abandoned or used as heret	ofore.
NOTI		NATORY	
of d	following additional facts are set forth in order The original Application No iversion situate in Section 5 , and bears the following not	o. 32773 specified	points
one	or more or all of the above d	iversion points. Water fr	om the
seve	ral diversion points will be	commingled in conveyance w	orke or
in u	se. The applicant proposes t	O divert water from the sa	- I
River	r partly or wholly by means o	f infiltration valle	n Juan
horia	zontal galleries, dug in the	alluvial fill within the	or
valle	ev. The exact number depth	diameter	cream
Guob	ey. The exact number, depth,	diameter, spacing and yie	ld of
sucii	wells, pits or galleries wil	l be determined during the	project
Const	ruction; however, the aggregation	ate withdrawal rate will no	3
that	specified." The purpose of	this Change Application is	or exceed
secur	e approval of additional alte	application is	CO
herei	nafter specified with and	rnacive points of diversion	n as
nal A	nafter specified without waiy	ver of any rights under the	origi-
	strategerourand without incres	se in the quantity of water	
whhtt	eutorortheultimateobject	ive and purpose of the ori	oinal
E. E. W. W.	MM LUILA		
	See "Explanatory" co	ntinued on attached chara-	***************************************
			*
			** **********
*************			******
		PHILLIPS PETROLEUM COMPANY	
•		Signature of A	Pplicant.
		7036	-

EXPLANATORY - contd. from printed form.

The additional alternative points of diversion from the source are in Section 3, T. 41S., R. 24E., San Juan County, Utah, situate at points as follows:

Diversion	From	From	
Point	West Line	Norta Line	Subdivision
. 1	100'	1780'	CITLANTI.
2	365'		swłnwł
		1780'	•
3	6301	1770 '	#1
4	900 '	1620'	11
5	1170'	1620'	11
6	1400'	1600'	SEŁNWŁ
7	1530'	1600'	11
8	1900'	1600'	
9	2150'	1620'	11
10	2400	1700'	* 11
11	2640'	1750'	11
12	2900'	1810'	SWŁNEŁ
13	3180'	1900'	ii -
14	3400'	1950'	n .
15	3650'	20501	· · · · · · · · · · · · · · · · · · ·
16	3870 '	2225'	11
17	4100'	2450'	SEZNEZ
18	4250'	2700 °	NEZSEZ
19	4380'	2975'	11
20	4420	3250'	11

PORM 28 BM 8-87

Copied for C. M. Bolei 4-18-62 EFL:mi

THE STATE OF UTAH
OFFICE OF THE STATE ENGINEER
SALT LAKE CITY

March 26, 1962



Phillips Petroleum Company Bartlesville, Oklahoma

Gentlemen:

RE: APPROVED APPLICATION NO. a-4025

Enclosed find Application No. a-4025 which has been approved by me. This approved Application is your authority to proceed with actual construction work which, under Sections 73-3-10 and 73-3-12, Utah Code Annotated 1953, as amended, must be diligently prosecuted to completion. The water shall be put to beneficial use and proof of appropriation filed with the State Engineer, as provided in the original application as amended by this approved change Application.

Failure on your part to comply with the requirements of the statutes may result in forfeiture of your Application.

Mayne D. Criddle

Wayne D. Criddle


ADDRESS ALL COMMUNICATIONS TO:

STATE ENGINEER
403 STATE CAPITOL
SALT LAKE CITY, UTAH


js
Encl: Copy of approved application

CHANGE APPLICATION APPROVED

(Form for pending original Application)







- ODLE WAYNE -



SALT LAKE CITY October 30, 1551

> Issue Late: October 30, 1 Expiration Date: April ??

Phillips Petroleum Company c/o Senior and Senior, Attorneys #10 Exchange Place Salt Lake City 11, Utah'

Gentlemen:

RE: APPROVED APPLICATION NO. 32775 ACT CHANCE APPLICATION NO. 9-4025

This is to acknowledge receipt of your Permanent Consequent No. a-4025 which proposes to change the point of diversion of 6.0 sec.-ft. of water initiated by Application No. 32773. The was to have been diverted from ten 12.75-inch 0.1. wells located within $\frac{1}{2}N^{\frac{1}{2}}NE^{\frac{1}{4}}$ and $SE^{\frac{1}{4}}NE^{\frac{1}{4}}$ of Cec. 5, This, R24E, SLBam. It is now proposed to divert the 6.0 sec. It. of water from a total of vel 12.75 inches 0.D, between 35 and 50 ft. deep ten of these being the same as heretofore described and thirty-one wells to we located within-NW Sec. 3, 7 Sec. 4, NW Sec. 5, TAIS, R24E, SLB&M. The wares is to be used for pressure maintenance and secondary recovery purposes as heretofore.

You have requested permission to proceed immeriately with the intuing of these additional (1 wells. This letter grants you that privilege wit the understanding that all risks as regards water rights are being assumed by

If other than new standard casing is to be used in these wells such casing must be inspected and approved by a representative fitth this office All wells must be so constructed and finished that they may be readily be colled at all times, in order to prevent waste of underground water. Wells must at ... drilled and cased in Euch a manner that will prevent the infiltration of the taminated water into them.

The driller must be bonded and have a surrent paint from the Etme Engineer. Before commencing, he must give this office notice as to the day he will begin drilling. Also, within 30 days after the well has been completed or abandoned, he must file a well driller's report for each well. These reports are to contain accurate and complete information begarding the tork done and become part or the files in this office pertaining to the above-numbered I lings.

This is permission for a licensed driller to begin drilling you wells.

Please note that the expiration date of this letter is April 10, 1962.

Yours truly,

une D. Criddle

STATE ENGINEER

ds

ENIOR

December 2, 1965

Ratherford Unit, San Juan County, Utah - Application No. 32773 - Request for Extension of Time to Make Proof of Appropriation

lir. R. M. Williams (2) Legal Department

Phillips' Application No. 32773 to the State of Utah for appropriation of water to be used in the Ratherford Unit project was approved on September 5, 1961. One condition of the approval was that a proof of appropriation be submitted by February 28, 1963. Subsequently an extension was granted and the proof of appropriation is now due on February 28, 1966. It is not possible to determine at this time the quantity of water that will ultimately be required and this is to request your assistance in obtaining an additional extension of time before it is necessary to file the proof.

Attached is a copy of Mr. C. M. Holes' letter dated Movember 23, 1965, which transmits a copy of an unexecuted application for an extension of time for filing the proof from February 28, 1966, to February 28, 1971. Please examine the application as to form and, if it is acceptable, forward it to Mr. J. E. Chrisman, who will arrange for its execution. If it is your opinion that the legal firm of Senior and Senior should file the application, as was done previously, please so advise and the executed application will be returned to you.

Shofner Smith

JEC:gm Attach.


cc: Messrs. C. W. Corbett Attn. T. L. Osborne C. M. Boles


1 1/8/6 6 HS

> *به کو*٠ ل

OPERATOR Phillips Oil Go.	DATE 6.24-85
WELL NAME Ratherford Unit 7-22	
SEC SE NW 7 T 4/S R 24/E COUNTY	San Juan
43-037-3/165 January Type	dean OF LEASE
CHECK OFF:	
PLAT BOND	NEAREST WELL
LEASE FIELD	POTASH OR OIL SHALE
PROCESSING COMMENTS:	
Water a	
•	
APPROVAL LETTER:	
SPACING: A-3 Ratherford C-3-a	CAUSE NO. & DATE
c-3-b	
STIPULATIONS:	•
·	

Ĩ





355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

July 8, 1985

Phillips Oil Company P. O. Box 2920 Casper, Wyoming 82602

Gentlemen:

Re: Well No. Ratherford Unit 7-22 - SE NW Sec. 7, T. 41S, R. 24E 1980' FNL, 1980' FWL - San Juan County, Utah

Approval to drill the above-referenced oil well is hereby granted in accordance with Section 40-6-18, Utan Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification to the Division within 24 hours after drilling operations commence.
- 2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
- 3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
- 4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2
Phillips Oil Company
Well No. Ratherford Unit 7-22
July 8, 1985

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31165.

Sincerely,

Associate Director, Oil & Gas

alei, e ing Alli

as

Enclosures

cc: Branch of Fluid Minerals Bureau of Indian Affairs

RECEIVED

5. LEASE

14-20-603-368

Form Approved.
Budget Bureau No. 42-R1424

UNITED STATES DEPARTMENT OF THE INTERIOR 2 3 1985 GEOLOGICAL SURVEY

6. IF INDIAN, ALLOTTEE OR TRIBE NAME **GEOLOGICAL SURVEY** Navajo DIVISION OF OIL 7. UNIT AGREEMENT NAME SUNDRY NOTICES AND REPORTS ASIN WILLIAS SW-I-4192 (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) 8. FARM OR LEASE NAME Ratherford Unit 1. oil well [X] well other 9. WELL NO. #7-22 2. NAME OF OPERATOR
Phillips Petroleum Company (Attn: RMR Drlg) 10. FIELD OR WILDCAT NAME Greater Aneth 3. ADDRESS OF OPERATOR 8055 E. Tufts Ave.Pkwy., Denver, CO 80237 11. SEC., T., R., M., OR BLK. AND SURVEY OR 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 Sec. 7-T41S-R24E below.) AT SURFACE: 1980' FNL, 1980' FWL 12. COUNTY OR PARISH 13. STATE AT TOP PROD. INTERVAL: San Juan Utah AT TOTAL DEPTH: 14. API NO. 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. 43-037-31165 REPORT, OR OTHER DATA 15. ELEVATIONS (SHOW DF, KDB, AND WD) **REQUEST FOR APPROVAL TO:** SUBSEQUENT REPORT OF: **TEST WATER SHUT-OFF** FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (NOTE: Report results of multiple completion or zone PULL OR ALTER CASING change on Form 9-330.) MULTIPLE COMPLETE **CHANGE ZONES ABANDON*** (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Drilled 18" conductor hole to 120' G.L. on 12-12-85. Ran 119.7' 13-3/8" 54.5# K-55 Buttress casing, set at 119.7'. Cemented with 177 cu.ft. (150 sx) Class "B" cement to surface. Finished job and moved out rat hole driller 12-12-85. Spudded well 12-17-85 with Energy Search Drilling Rig #2. Drilled 12-1/4" hole to 1590!. Ran 9-5/8" 40# L-80 Buttress casing, set at 1590 Cemented with 731 cu.ft. (395 sx) Howco Light cement; tailed with 354 cu.ft. (300 sx) Class B"B cement. Circulated to surface, fell back; pumped 100 sx Class B as top job. Job complete 9-18-85. Subsurface Safety Valve: Manu. and Type _ Set @ 18. I hereby certify that the foregoing is true and correct TITLE Drilling Manager DATE December 20, 1985 (This space for Federal or State office use)

6-BLM, Farmington, NM

2-Utah O&GCC, SLC 1-Casper

1-Well File (RC) 1-J. Weichbrodt 1-Chevron USA, Inc.

1-Texaco, Inc. 1-Mobil Oil Corp.

*See Instructions on Reverse Side

DATE

1-Shell Oil Corp.

5. LEASE

UNITED STATES DEPARTMENT OF THE INTERIOR

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use from 9-331-0 for such proposals.) 1. oii	DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	14-20-603-368 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Ratherford Unit New Mark Section Sec	(Do not use this form for proposals to drill or to deepen or plug back to a different	SW-I-4192
Phillips Petroleum Company (Attn: RMR Drlg) 3. ADDRESS OF OPERATOR 8055 E. Tufts Ave. Pkwy., Denver, C0 80237 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1980' FNL, 1980' FWL AT TOP PROD. INTERVAL: AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT SHOOT OR ACIDIZE PRACTURE TREAT SHOOT OR ACIDIZE PRACTURE TREAT SHOOT OR ACIDIZE BEPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES BABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations as a measured and true vertical depths for all markers and zones pertinent to this work.)* Drilled 8-1/2"to 5634'. Ran 5645' 23# and 26# K-55 LT&C and ST&C casing, see at 5632'. Cemented with 1122 cu.ft. (550 sx) Howco Light cement; tailed with 370 cu.ft. (300 sx) Class B w/18% salt. Pressure tested casing to 1500 psi Job complete 1-1-86. TOC ±2000'. Plug back total depth 5588'.	well 📶 well uther	Ratherford Unit 9. WELL NO.
CHANGE ZONES ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations at measured and true vertical depths for all markers and zones pertinent to this work.)* Drilled 8-1/2"to 5634'. Ran 5645' 23# and 26# K-55 LT&C and ST&C casing, see at 5632'. Cemented with 1122 cu.ft. (550 sx) Howco Light cement; tailed with 370 cu.ft. (300 sx) Class B w/18% salt. Pressure tested casing to 1500 psi Job complete 1-1-86. TOC ±2000'. Plug back total depth 5588'.	3. ADDRESS OF OPERATOR 8055 E. Tufts Ave. Pkwy., Denver, CO 80237 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1980' FNL, 1980' FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPECE! FRACTURE TREAT	Greater Aneth 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 7-T41S-R24E 12. COUNTY OR PARISH 13. STATE San Juan Utah 14. API NO. 43-037-31165 15. ELEVATIONS (SHOW DF, KDB, AND WD) 4734' ung. G.L. VED 1986 TE: Report results of multiple completion or zone
measured and true vertical depths for all markers and zones pertinent to this work.)* Drilled 8-1/2"to 5634'. Ran 5645' 23# and 26# K-55 LT&C and ST&C casing, set at 5632'. Cemented with 1122 cu.ft. (550 sx) Howco Light cement; tailed with 370 cu.ft. (300 sx) Class B w/18% salt. Pressure tested casing to 1500 psi Job complete 1-1-86. TOC ±2000'. Plug back total depth 5588'.	CHANGE ZONES	INING e all pertinent details, and give pertinent dates
Subsurface Safety Valve: Manu. and Type Set @ Set @	Drilled 8-1/2"to 5634'. Ran 5645' 23# and 26# at 5632'. Cemented with 1122 cu.ft. (550 sx) 370 cu.ft. (300 sx) Class B w/18% salt. Pres Job complete 1-1-86. TOC ±2000'. Plug back t	irectionally drilled, give subsurface locations and to this work.)* K-55 LT&C and ST&C casing, set Howco Light cement; tailed with sure tested casing to 1500 psi. cotal depth 5588'.
	Subsurface Safety Valve: Manu. and Type	Set @ Ft.

6-BLM, Farmington, NM 2-Utah O&GCC, SLC

1-Well File (RC) 1-Casper Office

1-J. Weichbrodt

1-Chevron USA, Inc.

(This space for Federal or State office use)

TILE Drilling Manager DATE

DATE

January 6, 1986

1-Texaco, Inc. 1-Shell Oil Co.

*See Instructions on Reverse Side 1-Mobil Oil Corp.

L'orm 3100-(November 1983) (rmerty 9-330)

UNITED STATES

SUBMIT IN DUPLICATE. aber

ว่ากกห

In-	
on	

	Budget Bureau No. 1004-0137 Expires August 31, 1985
١	5. LEASE DESIGNATION AND SERIAL NO.
	14-20-603-368
-	6. IF INDIAN, ALLOTTES OR TRIBS NAME
_	Navajo
	7 CHIT ACREMENT NAME

		BUKEA	U UF LAN	U MANA	GEMEN	41			14-20		
WELL CO	ADI ETI	ON OF	RECON	API FTI	ON R	FPORT A	ANI	LOG*			TTEE OR TRIBE NAME
A TYPE OF WEL				1					Navaj		
		WELL XX	GAR WELL	DR	۲Ц (Other			_		
L TYPE OF COM	PLETION:	DEEP E	n rive C	n DIFF.	\Box				SW-I-		
WELL XX	OVER	EN DEEL-	BACK [DIFF. RENV	8. L.J. (Other			- 1		-
2. NAME OF OPERAT						nne/f	161	NV/IT!	9. WELL NO		d Unit
Phillips I		ım Comp	any					3/7/100	能求 的		
3. ADDRESS OF OPE					A COMMENT	11/2		-	35 7 Rt	-22	L, OR WILDCAT
P. O. Box	2920, 0	Casper,	Wyoming	g 8260	12	MVE	0.5	3. 19 86 - 🖺	TENS!		
P. O. Box	LL (Report	location cle	arly and in a	ccordance	with any -	State requir	tment	,,,,,,,,	Great		OR BLOCK WAS SUBARA
At surface 19	980' FNI	. & 198	O' FWL,	SE NW	Ι.)N OF	OR AREA	ж., ж.,	OR BLOCK AND BORVEY
At top prod. in:	terval report	ed below						MINING			
						016, 0	,	×	Sec.	7-T	1S-R24E
At total depth				14 000	MIT NO.		DATE	ISSUED	12. COUNTY	OB	13. STATE
		_		43-6	37 -	311651	7-	2-25	PARISH San		Utah
API #43-03				_		I					ELEV. CASINGHEAD
5. DATE SPUDDED	1		i						KB, RT, GE, ETC.)*		
12/17/85	3	2/31/85	1	1/30/8				7271, RK		OL8	CABLE TOOLS
O. TOTAL DEPTH, MD	a TVD 2		CK T.D., MD &	TVD 22.	HOW M.	TIPLE COMPL.	•	DRILLED			i
5634 '			521'	l				<u> </u>	10 - 303		5. WAS DIRECTIONAL
4. PRODUCING INTE	RVAL(8), OF	THIS COM	PLETION-TOP	, BOTTOM,	NAME (N	ID AND TVD)*					SURVEY MADE
5546° - 50	517' De	esert C	Creek Zor	ne I						- 1	No
										1 97 3	VAS WELL CORED
6. TYPE ELECTRIC							-			21.	No
CDL/DSN)	Contact	Calipe	ACTIVIDATE SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS					<u> </u>		<u></u>	NO
8.						ort all strings	s set is		ING RECORD		1 .vanva suven
CABING BIZE		r, LB./FT.	DEPTH SE		но	LE SIZE	ļ <u>-</u>				AMOUNT PULLED
13-3/8"	54	. 5#	_ -	120'		18"	,		t. Class B		5 61
9-5/8"		0#		590 '		2-1/4"					cu.ft.Class B
7''	23#	& 26#	50	632'	8	3-1/2"	112	2cu.ft.H	owco Lite	& 3/0	cu.ft.Class B
							<u> </u>				
29.		LIN	ER RECORD					30.	TUBING REC		
SIZE	TOP (MD) 301	PTOM (MD)	SACKS CI	MENT*	SCREEN (M	D)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
								2-7/8"	5362'		
1. PERFORATION RI						82.	AC	ID. SHOT. FR	ACTURE, CEME		
608-17', 2						DEPTH IN	TERVA	L (MD)	AMOUNT AND KI	ND OF	MATERIAL USED
590-96', 2						5546	-561	7' - Br	eak down e	a ft	of perfs w/50
578-86', 2											<u>Acidized entire</u>
562-71', 2						interv	al w	vith rema	ining 3600	ga1	28% HCL Acid
546-50', 2	SPF, 4"	HSC G	un, .45"	, 8 s	hots	contai	ning				s suspender,
33.*			· · · · · · · · · · · · · · · · · · ·			DUCTION			UED ON BAC		
DATE FIRST PRODUC	TION	PRODUCTIO	ON METHOD (Flowing, g	as lift, p	um ping—size	and t	ype of pump)		L STAT	us (Producing or
1/30/86		Pur	mping	1	-1/4"						Producing
DATE OF THET	HOURS T	ESTED	CHOKE SIZE		N. FOR	OIL-BBL.		GAS-MCF.	WATER-B	BL.	GAS-OIL RATIO
	ŀ			TEST	PERIOD	1 10		1 70	1 02		206

35. LIST OF ATTACHMENTS

None

SIGNED

Sold

2/16/86

FLOW. TUBING PRI

85

hat the foregoing and attached information is complete and correct as determined from all available

48

GAS-MCF.

19

19

WATER-BBL.

93

36. I hereby certify

CASING PRESSURE

80

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

CALCULATED 24-HOUR BATE

Area Manager TITLE

DATE February 28.

OIL GRAVITY-API (CORR.)

40.0

TEST WITNESSED BY

48

FORMATION	TOP	BOTTOM	hes sensenco notediapad			
		WO I TOO	DESCRIPTION, CONTENTS, ETC.		F	Top
ACID TREATMENT	CONTINU	<u> 2</u> 0 –		NAME	MEAS, DEPTH	TRUE VERT. DEPTH
ga1/1000	W-802	44	00 A-250 corrosion inhib		LOG TOPS	### ### ##############################
evenly space	U-42 iron ed thru ac	nt. Go	Dropped 116, 7/8" 1.2 sp. gr., ball sealers od ball action, balled out twice. Displaced	Shinarump	7346	
with lease	water.	r-flushed w/	10 bbls lease water.	DeChelly	2665	
				Hermosa	4562	\
· ·				Desert Creek Zone	one I 5540	
				¥4.7		• .
						·
Distribution:	n:					
4 - BLM,	Farmington,					
- The	Owe cc, salt lavaio Nation.	r Lake City, UT n. Window Rock	U1 Ck A2	-		√ .
~~	Williamson					
1 - T. L.	Carten r)	P. Bertuzzi,	Denver			
М	Lindemood,	Denver				
	Kennedy, De	Denver				
1/ - W. I						
le E	RC RC	מסורשק				
	· · · · · · · · · · · · · · · · · · ·					
	-					

	ACTION	
NAME	CODE(S)	INTL
NORM		11
TAMI	3A	
VICKY		
CLAUDIA	1 - TAI) + CHILTY	C.
STEPHANE	/	0
CHARLES		
RULA	2+ LOG CONTROL	Ah
MARY ALICE		
CONNIE		
MILLIE		
PAM	PILE + RELOCATE	

Required Action Code

- l. Data Entry
- Filming
 Posting
 - a. Card Index
 - b. File Labelc. Lists
 - C. LISTS
- 4. Bonding Verification
- 5. Other (See Norm)

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

AUG 1 6 1993

N0772

P J KONKEL PHILLIPS PETROLEUM COMPANY

5525 HWY 64 NBU 3004 FARMINGTON NM 87401 REPORT PERIOD (MONTH/YEAR)

ACCOUNT NUMBER:

6 / 93

DIVISION OF

OIL, GAS & MININGMENDED REPORT [] (Highlight Changes)

Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754 06280 41\$ 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031 06280 415 24E 3	DSCR	POW	30	111	94	2905
#3-14 4303715124 06280 415 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126 06280 41S 24E 9	DSCR	POW	30	112	654	17363
#9-14 4303715127 06280 415 24E 9	DSCR	Pow	30	201	315	423
#28-12 4303715336 06280 415 24E 28	PRDX	POW	29	112	47	2428
#29-12 4303715337 06280 415 24E 29	PRDX	POW	29	56	0	672
#29-32 4303715339 06280 41S 24E 29	DSCR	POW	29	1402	287	2224
#29-34 4303715340 06280 415 24E 29	DSCR	Pow	29	757	48	0
#30-32 4303715342 06280 415 24E 30	DSCR	POW	29	588	1049	3744
#3-12 4303715620 06280 418 24E 3	DSCR	POW	30	268	11	363
#9-34 4303715711 06280 415 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712 06280 415 24E 10	DSCR	POW	30	45	23	1088
11544			TOTALS	5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the

Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box

633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge.


Date: _8/11/93

lame and Signature: PAT KONKEL

Pat Konkel

Telephone Number: 505 599-3452

WELL #	API#	LEASE #	SEC., T, R	LOCATION OF WELL
01W-13	43-037-15838	14-20-603-246A	SEC. 1, T41S, R23E	NW/SW 1980 FSL; 660 FWL
01-14	43-037-31162	14-20-603-246A	SEC. 1, T41S, R23E	SW/SW 660 FSL; 660 FWL
01W-24	43-037-15839	14-20-603-246	SEC. 1, T41S, R23E	SE/SW 651 FSL; 3300 FEL
51-34	43-037-16385	14-20-603-246A	SEC. 1, T41S, R23E	SW/SE 4147 FNL; 1980 FEL
01W-44	43-037-15840	14-20-603-246A	SEC. 1, T41S, R23E	660 FSL; 661 FEL
02W-44 ⁻	43-037-16386	14-20-603-246A	SEC. 2, T41S, R23E	SE/SE 810 FNL; 5110' FWL
53-14	43-037-15124	14-20-603-5445	SEC. 3, T41S, R24E	660 FSL; 660 FEL
33-12	43-037-15620	14-20-603-6506	SEC. 3, T41S, R24E	SW/NW 2140 FNL; 660 FWL
ნ3W-42	43-037-16388	14-20-603-6505	SEC. 3, T41S, R24E	SW/NE 1980 FNL; 660 FEL
ý3-44	43-037-15031	14-20-603-6504	SEC. 3, T41S, R24E	520 FSL; 820 FEL
04-14	43-037-16163	14-20-603-5446	SEC. 4, T41S, R24E	500 FSL; 600 FEL
04-34	43-037-16164	14-20-603-4035	SEC. 4, T41S, R24E	660 FSL; 1980 FEL
55-34	43-037-15983	14-20-603-368	SEC. 5, T41S, R24E	SW/SE 612 FSL; 1990 FEL
55W-43	43-037-16392	14-20-603-368	SEC. 5, T41S, R24E	1400 FSL; 990 FEL
	43-037-15984	14-20-603-368	SEC. 6, T41S, R24E	SW/SW 660; FSL; 660 FWL
	43-037-16393	14-20-603-368	SEC. 6, T41S, R24E	1830 FSL; 1895 FWL
07-11	43-037-31163	14-20-603-368	SEC. 7, T41S, R24E	NW/NW 660 FNL; 710 FWL
	43-037-15985	14-20-603-368	SEC. 7, T41S, R24E	SW/NW 2140 FNL; 585 FWL
	43-037-31164	14-20-603-368	SEC. 7, T41S, R24E	NW/SW 2110 FSL; 740 FWL
	43-037-31164	14-20-603-368	SEC. 7, T413, R24E	SW/SW 1065 FSL; 660 FWL
	43-037-15986	14-20-603-368	SEC. 7, T413, R24E	710 FNL; 1820 FWL
	W			SE/NW 1980 FNL; 1980 FWL
57-22	43-037-31165	14-20-603-368	SEC. 7, T41S, R24E	
	43-037-15987	14-20-603-368	SEC. 7, T41S, R24E	NE/SW 1980 FSL 1980 FWL
57-24	43-037-31166	14-20-603-368	SEC. 7, T41S, R24E	SE/SW 880 FSL; 2414 FWL
	43-037-15988	14-20-603-368	SEC. 7, T41S, R23E	SW/NE 1980 FNL; 1980 FEL
	43-037-31167	14-20-603-368	SEC. 7, T41S, R24E	NW/SE 2105 FSL; 1876 FEL
	43-037-15989	14-20-603-368	SEC. 7, T41S, R24E	710 FSL; 2003 FEL
	43-037-15990	14-20-603-368	SEC. 7, T41S, R24E	NE/NE 585 FNL; 770 FEL
07W43 👭	43-037-16395	14-20-603-368	SEC. 7, T41S, R24E	2110 FSL; 660 FEL
67-44	43-037-31189	14-20-603-368	SEC. 7, T41S, R24E	SE/SE 737 FSL; 555 FEL
б8-12	43-037-15991	14-20-603-368	SEC. 8, T41S, R24E	SW/NW 1909 FNL; 520 FWL
08W-14	43-037-15992	14-20-603-368	SEC. 8, T41S, R24E	745 FSL; 575 FWL
08-21	43-037-15993	14-20-603-368	SEC. 8, T41S, R24E	616 FNL; 1911 FWL
08-23	43-037-15994	14-20-603-368	SEC. 8, T41S, R24E	NE/NW 1920 FSL; 2055 FWL
08-32	43-037-15995	14-20-603-368	SEC. 8, T41S, R24E	SW/NE 1980 FNL; 1980 FEL
08-34	43-037-15996	14-20-603-368	SEC. 8, T41S, R24E	SW/SE 660 FSL; 1980 FEL
08-41	43-037-15997	14-20-603-368	SEC. 8, T41S, R24E	NE/NE 660 FNL; 660 FEL
	43-037-16396	14-20-603-368	SEC. 8, T41S, R24E	1980 FSL; 660 FEL
	43-037-16398	14-20-603-5046	SEC. 9, T41S, R24E	NW/SE 1980 FSL; 1980 FWL
09-12	43-037-15126	14-20-603-5045	SEC. 9, T41S, R24E	1865 FNL; 780 FWL
	43-037-16397	14-20-603-5045	SEC. 9, T41S, R24E	660 FNL; 2080 FWL
09-14A	43-037-15337	14-20-603-5046	SEC. 9, T41S, R24E	710 FSL; 660 FWL
	43-037-16165	14-20-603-5046	SEC. 9, T415, R24E	1980 FNL; 1980 FEL
09-32 09W-41		14-20-603-4035	SEC. 9, T415, R24E	660 FNL; 660 FEL
· · · · · · · · · · · · · · · · · · ·	43-037-16399		SEC. 9, 1413, R24E	1980 FSL; 660 FEL
	43-037-16400	14-20-603-4043	- 	
	43-037-16402	14-20-603-4043	SEC. 10, T41S, R24E	1980 FSL; 1980 FWL
10-14	43-037-15713	14-20-603-4043	SEC. 10, T41S, R24E	510 FSL; 710 FWL
10-12	43-037-15712	14-20-603-4043	SEC. 10, T41S, R24E	660 FWL; 1980 FNL
10W-21		14-20-603-4043	SEC. 10, T41S, R24E	810 FNL; 1980 FWL
10-34	43-037-16166	14-20-603-4037	SEC. 10, T41S, R24E	620 FSL; 1860 FEL
	43-037-16403	14-20-603-4037	SEC. 10, T41S, R24E	1980 FSL; 550 FEL
11-41	43-037-31544	14-20-603-246A	SEC. 11, T41S, R23E	NE/NE 860 FNL; 350 FEL
	43-037-15841	14-20-603-246	SEC. 11, T41S, R23E	3290 FNL; 4617 FEL
11-43	43-037-31622	14-20-603-246A	SEC. 11, T41S, R23E	1980 FSL; 660 FEL
11W-44	43-037-15842	14-20-603-246A	SEC. 11, T41S, R23E	SE/SE 660 FSL; 558 FEL
12W-11	43-037-15843	14-20-603-246A	SEC. 12, T41S, R23E	NW/NW 678 FNL; 4620 FEL
12-12	43-037-31190	14-20-603-246A	SEC. 12, T41S, R23E	SW/NW 1850 FNL; 660 FWL
12W-13	43-037-16404	14-20-603-246A	SEC. 12, T41S, R23E	1980 FSL; 4620 FEL
12-14	43-037-15844	NA	SEC. 12, T41S, R23E	660 FNL; 4622 FWL
12-21	43-037-31201	14-20-603-246A	SEC. 12, T41S, R23E	NE/NW 660 FNL; 1980 FWL
	43-037-15845	14-20-603-246	SEC. 12, T41S, R23E	NA
12-23	43-037-15846	14-20-603-246A	SEC. 12, T41S, R23E	1958 FNL; 3300 FWL
12-23 12W-24	43-037-13042	14-20-603-246A	SEC. 12, T41S, R23E	775 FSL; 1980
12-32	43-037-31191	14-20-603-246A	SEC. 12, T415, R23E	SW/NE 1820 FNL; 1820 FEL
12-32 12W-33		14-20-603-246A	SEC. 12, T415, R23E	NW/SE 1957 FSL; 1981 FEL
	43-037-15848			SW/SE 675 FSL; 1905 FEL
	40 007 04400	11/1/20 502 2/5		
12-34 12-41	43-037-31126 43-037- <i>158</i> 49	14-20-603-246A 14-20-603-246A	SEC. 12, T41S, R23E SEC. 12, T41S, R23E	656 FNL; 660 FEL



SEP 1 5 1993

DIVISION OF PALOIL, GAS & MINING rald

PAId PAId

14-20-603-246 SENW 1920 FNL 2080 FWL

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

			S. LEASE DESIGNATION &	
CHAIDDAY A	OTICES AND DEPORTS	ON WELLS	6. IF INDIAN. ALLOTTEE	OR TRIBE NA
(Do not use this form for p	OTICES AND REPORTS proposals to drill or to deepen or plui PPLICATION FOR PERMIT—" for :	g back to a different reservoir.	NAVAJO TRIBAL	
DIL GAS		manned for 1	1. UNIT AGREEMENT NAM	IE
WELL WELL OTH	ER		RATHERFORD UNIT	
MOBIL OIL CORP	PORATION -	ME CO		
P. O. BOX 633	MIDLAND, TX 79702	SEP 1 3 1993	T. WELL NO.	
OCATION OF WELL (Report location ee also space 17 below.) It surface	n clearly and in accordance with any State		GREATER ANETH	
Lt proposed prod. zone		DIVISION OF OIL, GAS & MINING	11. SEC., T., R., M., OR BLK SURVEY OR ARE	
APE NO.	15. ELEVATIONS (Show whether	r DF, RT, GR, etc.)	1 1	J. STATE
	1		SAN JUAN	UTAH
Che	eck Appropriate Box To Indicate	Nature of Notice, Report or Ot	ther Data	
	NTENTION TO:	·	QUENT REPORT OF:	•
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WE	
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CAS	
SHOOT OR ACIDIZE	ABANDON	SHOOTING OR ACIDIZING	ABANDONMEN	
REPAIR WELL	CHANGE PLANS	(Other) CHANGE OF		
(Other)	<u> </u>	(Note: Report results	of multiple completion on	₩ еп
(04				
APPROX. DATE WORK WILL S' DESCRIBE PROPOSED OR C starting any proposed work. If	OMPLETED OPERATIONS (Clearly		mpletion Report and Log fo	timated date
APPROX. DATE WORK WILL S' DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.)	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and ze
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and tr	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and ze
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and zo
APPROX. DATE WORK WILL S' DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and ze
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and zo
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and z
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and z
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and zo
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and ze
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and zo
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subs	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and ze
DESCRIBE PROPOSED OR C starting any proposed work. If pertinent to this work.) AS OF JULY1, 1993	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subset of the subset	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including es ue vertical depths for all ma panied by a cement verif	timated dat rkers and ze
APPROX. DATE WORK WILL STATE OF JULY1, 1993 ATTACHED ARE THE	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subset of the subset	DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom	pertinent dates, including esque vertical depths for all mapanied by a cement verif	timated dat rkers and ze ication rep
APPROX. DATE WORK WILL STORM OF CONTROL OF C	OMPLETED OPERATIONS (Clearly well is directionally drilled, give subsequently drilled, give subsequent	Completion or Reco DATE OF COMPLETION y state all pertinent details, and give surface locations and measured and to * Must be accom ION IS THE OPERATOR OF	pertinent dates, including essue vertical depths for all mapanied by a cement verif	timated dat rkers and zer ication rep

	* ,	•	
	FORM 11		
•	FURNY 11		
	_1		
	Ω		

STATE OF UTAH /ISION OF OIL, GAS AND MINING

•		•
Page 1	of	1

MONTHLY OIL AND GAS DISPOS	SITION REPORT
OPER TOR NAME AND ADDRESS: Sheffield BRIAN BERRY MEPNA MOBIL POB 219031 1807A RENTWR F.O. Drawer G DALLAS TX 75221-9031 CORTEZ, Co. 81321 **Y9310010 updated. for	UTAH ACCOUNT NUMBER: N7370 REPORT PERIOD (MONTH/YEAR): 7 / 93 AMENDED REPORT (Highlight Changes)

ENTITY	PRODUCT	GRAVITY	BEGINNING	VOLUME		DISPOSIT	ions		ENDING
NUMBER		вти	INVENTORY	PRODUCED	TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	INVENTOR
	OIL			177609	177609	0			
05980	GAS			72101	66216	5885			
	OIL	·						•	
11174	GAS								
	OIL			·					
	GAS			·					
	OIL							771	-
	GAS						W ST	EIV	R
	OIL						W.	EP 1 3 199	70
	GAS								
	OIL				·		DI OII	VISION (GAS & Mi	DF NINI⊂
	GAS						O I Sang	0.10 W 101	
-	OIL								
	GAS								
		TOTALS		200	243825	5005			

COMMENTS: PETASE NOTE ADDRESS CHANGE, POBIN ASSU PRODUCTION REPORTS Will be CompilED AND Vent from the Cortez, Co. I hereby certify that this report is true and complete to the best of my knowledge.

Telephone Number 24 658 2538

Sept 29, 1993

To: Lisha Cordova - Utah Mining Die & Gas

FROM: Janice Easley BLM Farmington, NM 505 599-6355

Here is copy of Ratherford Unit Successor Operator.

4 pages including this one.

26 rothinged Unit (GC)

PICEIVED BLM

Navajo Area Office P. O. Box 1060 Gallup, New Mexico 87305-1060 67.77°, 27.77°, 144

ARES/543

לצטו בי ה ליול.

Mr. G. D. Cox Mobil Exploration and Producing North America, Inc. P. O. Box 633 Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

Aligo acomore

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc. TNN, Director, Minerals Department w/enc.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS

BECEIVED

DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,

AREA OFFICE: Window Rock, Arizona LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702

Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

June /7, 1993

Phillips Petroleum Company

Attorney-in-Fact

Mobil Exploration and Producing

North America Inc.

June // , 1993

y: 15 IMartin

That P. D. MODELLY

May alon

ACTING AREA DIRECTOR

7/7/6

APPROVED BY

TITLE

DATE

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 19921 SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

Tract Number	Description of Land	Serial Number and Effective Date of Lease	Tract Percentage Participation
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.H. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14+20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 Harch 3, 1958	1.2587779
S	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	.4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-5, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8.	SW/4 Sec. 9, T-41-S, R-24-E, S.L.H. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-5, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-5, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26,1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 2B, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. J. T-41-5, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S. R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to: [] Well File	·	(Treath Daw)		Other OPERATOR CHANGE
(Location) SecTwp (API No.)	_Rng	(To - Initials)		
1. Date of Phone Call:	10-6-93	Time:9	:30	
2. DOGM Employee (name Talked to:	e) <u>L.</u>	CORDOVA	(Initia	ted Call XXX
Name GLEN COX			Phone No. <u>(</u>	915) 688-2114
of (Company/Organizat	ion)			
3. Topic of Conversation:	OPERATOR	CHANGE FROM PHILLIPS	TO MOBIL "R	ATHERFORD UNIT".
(NEED TO CONFIRM HOW C	PERATOR WA	ANTS THE WELLS SET UP -	MEPNA AS P	ERTBIA APPROVAL
OR MOBIL OIL CORPORATI	ON AS PER	SUNDRY DATED 9-8-93?)		
MR. COX CONFIRMED THAT	THE WELLS	S SHOULD BE SET UNDER A O THAT PRODUCTION & DIS	CCOUNT N737 POSITION RE	O/MEPNA AS
	LR CORTEZ C	OFFICE RATHER THAN DAIL		
PO DRAWER G				
CORTEZ, CO 81321				
(303)565-2212				
*ADDRESS CHANGE AFFEC	rs all well	LS CURRENTLY OPERATOREI	BY MEPNA,	CURRENTLY
REPORTED OUT OF DALLA	S (MCELMO (CREEK).		
				-
				· · · · · · · · · · · · · · · · · · ·

<i>€" - </i>							• .		
OPERATO	of Oil, Gas and R CHANGE WOR	KSHEET)	· Г	louting: 1_VEC/4/7-S.1 2_DES/58-A.1-0.4
Attach al Initial e	l documentation ach listed item	received by when comp	by the division leted. Write	n regarding N/A if item	this change is not appli	icable.		L	3-VLC 4-RJEV
ox Chang □ Desid	ge of Operato gnation of Op	or (well :	sold)	/ □ Des □ Ope	ignation o	of Agent Change C	On l y		5_11-00 6_PM
The ope	rator of the	well(s)	listed belo	ow has ch	anged (EFF	ECTIVE DA	TE:	1–93)
TO (new	operator) <u>l</u>	MEPNA			FROM (form	er operat	or) PHILL	IPS PETRO	OLEUM COMPANY
			. G		,	(addre	SS) 5525 I	NGTON, NE	1 87401
			0 81321 (915)688-21				PAT K	ONKEL	
			3) 565-2212					(505)5	
	a	ccount n	o. <u>N7370</u>				accou	int no	N 0772(A)
Hell(s)	(attach additi	ional page	if needed):	*RATHI	RFORD UNI	r (navajo))		
Name:	**SEE ATTACH	ED**	API: 4303	7.3/165 E	ntity:	Sec	_TwpRn	ig Lea	se Type:
Namo :	•		APT -	F	ntitv:	Sec	lwo Rn	ıg Lea	se Type:
Name:_		V-11	_ API:	Ł	ntity:		IWPKII Twn = Pn		se Type: se Type:
									se Type:
Name.			 API:	E	ntity:	Sec	_TwpRr		se Type:
Name:_			API:	E	ntity:	Sec	TwpRr	ig Lea	se Type:
fee 2	operator (At	ttach to 3–10) Sun	this form). drv or othe	(Feg. 8-20-9: r legal (3 <i>) (6/93 frod</i> Jocumentat	. Rpt. 8-16-93			from <u>former</u> new operator
4	(Attach to 1		•			the new o	nerator a	hove is	not currently
SIH 3.	operating a yes, show co	ny wells ompany fi	in Utah. le number:	Is compai	ny registe -	red with	the stat	e? (yes/	no) 1T
Lec 4.	(attach Tel	ephone D	ocumentatio) this form.	n Form Manage	to this r ment revie	eport). w of Fed	Make no leral and	te of B Indian	g this change LM status in well operator
	listed above	e. (0.8.6 w	1115 10-6-937	C WIW'S 10	-26-93/				for each well
<u>fec</u> 6.	Cardex file	has been	updated fo	r each we	ll listed	above.(02	Ewells lo-	6-93) (WIL	o's 10-26-937
Jec. 7.	Well file la	abels hav	e been upda	ted for e	ach well l	listed abo	ove. (066 u	sells lo-lo-9	3) (WIW'S 10-26-4
<u>Fec</u> 8.	Changes hav for distrib	e been in ution to	ncluded on State Lands	the month and the	lly "Opera Tax Commis	tor, Addr ssion. <i>(1o-</i>	ess, and 6937	Account	Changes" memo
Jec 9.	A folder ha placed ther	s been so e for ref	et up for t erence duri	he Operat ng routir	or Change ng and prod	file, an cessing of	d a copy f the ori	of this ginal doo	page has beer cuments.

PERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A of item is not applicable.
NTITY	REVIEW
	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
OND VE	RIFICATION (Fee wells only)
	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	NTEREST OHNER NOTIFICATION RESPONSIBILITY
D(5)33	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
<u>/</u> 1,	All attachments to this form have been microfilmed. Date:
Lec 2.	<u>Copies</u> of all attachments to this form have been filed in each well file. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	-C
	cole BIA/Blm Approved 7-9-93.
iE71/34	I-35

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 20 of 22

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTAH	ACCOUNT NUMBER	N7370	
C/O MOBIL OIL CORP M E P N A PO DRAWER G CORTEZ CO 81321		REPORT PERIOD (MONTH/YEAR): 6 / 95 AMENDED REPORT (Highlight Changes)				
					-BB	
Vell Name	Producing	Well	Days	· · · · · · · · · · · · · · · · · · ·	Production Volumes	
PI Number Entity Location	Zone	Status	Орег	OIL(BBL)	GAS(MCF)	WATER(BBL)
RATHERFORD UNIT #13-43						WITTER ((DDE)
4303731131 06280 41S 23E 13	DSCR					
RATHERFORD UNIT #24-41					-	
4303731132 06280 41S 23E 24	DSCR				i e	
RATHERFORD UNIT 17-13						
4303731133 06280 41S 24E 17	DSCR					
RATHERFORD UNIT #17-33	2002					
4303731134 06280 41S 24E 17 RATHERFORD UNIT #18-33	DSCR			/		
4303731135 06280 41S 24E 18	ncen					
RATHERFORD UNIT #1-14	DSCR		ļ			
4303731162 06280 41S 23E 1	DSCR					
CATHERFORD UNIT #7-11	- DOCK					
_03731163 06280 41S 24E 7	DSCR					
RATHERFORD UNIT #7-13		- 1	 			
4303731164 06280 41S 24E 7	DSCR					
RATHERFORD UNIT #7-22						
4303731165 06280 41S 24E 7	DSCR					
RATHERFORD UNIT #7-24						
4303731166 06280 41S 24E 7	DSCR					
RATHERFORD UNIT 7-33						
4303731167 06280 41S 24E 7	IS-DC					
RATHERFORD UNIT #16-13 4303731168 06280 41S 24E 16	2000					
4303731168 06280 41S 24E 16 RATHERFORD UNIT #17-11	DSCR					
4303731169 06280 41S 24E 17	DSCR					
	2301()	····		-		
·			TOTALS			
			L			
MMENTS:						
MMENTS:						
						,
						-
Contifu that this manner is to a district the						
/ certify that this report is true and complete to t	ne best of my	Knowledge.		Dat	e:	
no and Simplifies						
ne and Signature:				Te	elephone Number:	
(93)						

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Rou [·]	Well File	(Return Date) (To - Initials)	
	(API No.)		
1.	Date of Phone Call: 8-3-95	Time:	
2.	DOGM Employee (name) L. C. Talked to:	ORDOVA	(Initiated Call [])
	Name R.J. J. FIRTH of (Company/Organization)		
3.	Topic of Conversation: MEP	N A / N7370	
			•
4.	Highlights of Conversation: OPERATOR NAME IS BEING CHANGED NORTH AMERICA INC) TO MOBIL EXP	FROM M E P N A (MOBIL EX	PLORATION AND PRODUCING ANGE IS BEING DONE AT
	*SUPERIOR OIL COMPANY MERGED IN	TO M E P N A 4-24-86 (SE	E ATTACHED).

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

	n of Oil, Gas and Mining FOR CHANGE WORKSHEET	Routing
	all documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	2-LWP 8-SJ (3-PP3 9-FILE 4-VLC
	nge of Operator (well sold) I Designation of Agent XXX Operator Name Change Only	5- RJF 6- LWP
The op	perator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)
TO (ne	W operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370 FROM (former operator) MEPNA (address) C/O MOBIL PO DRAWER CORTEZ CO phone (303 account no.	G 81321 3 >564-5212
Hell(s) (attach additional page if needed):	
Name: Name: Name: Name:	** SEE ATTACHED ** API:	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
<i>N</i> /A 1.	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received form. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received form.	
,	(Attach to this form). The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? (ye yes, show company file number:	es/no) If
	(For Indian and Federal Hells ONLY) The BLM has been contacted regard (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and India changes should take place prior to completion of steps 5 through 9 below.	BLM status in n well operator
	Changes have been entered in the Oil and Gas Information System (Wang/IBI listed above. $(8-3-95)$	M) for each well
W 6.	Cardex file has been updated for each well listed above. 8-31.95-	. · · · · · · · · · · · · · · · · · · ·
suf 7.	Well file labels have been updated for each well listed above. $9-18-95$	# · ·
1	Changes have been included on the monthly "Operator, Address, and Account for distribution to State Lands and the Tax Commission. (83.95)	
Lileg.	A folder has been set up for the Operator Change file, and a copy of the placed there for reference during routing and processing of the original	is page has been documents.

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
A	REVIEH
	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VE	RIFICATION (Fee wells only) & No Fee Lesse Wells at this time!
N/A/ 1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	NTEREST OHNER NOTIFICATION RESPONSIBILITY
8/5-/95	(Rule R615–2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
<u>4/4</u> 2. 1	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
	All attachments to this form have been microfilmed. Date: October 6 1995.
FILING	
1. 9	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	
95080	3 WIC F5/Not newsary!
-	

WE71/34-35

ExxonMobil Production Compa U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte H. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

Jii ja 2001

DILIBION OF OIL, GAS AND MINING



United States Department of the Interior

NAVATORECTON

P.O. Box 1060 Gallup, New Mexico 87305-1060

RRES/543

AUG 3 0 2001

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

ADM ADM ADM
I NATVAMENICOCHO
SOLID KIN TEAM
PETRO WONT ISAM 2
O&GINSHED YEAM
ALL TEAM LEADERS
LAND RESOURCES
ENVIRONMENT
FILE8

ExxonMobil Production Company

U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail Return Receipt Requested

Ms. Genni Denetsone United States Department of the Interior Bureau of Indian Affairs, Navajo Region Real Estate Services P. O. Box 1060 Gallup, New Mexico 87305-1060 Mail Code 543 PS 7/12/2001

5/2 1.w

ExonMobil
Production



Change of Name —
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issue

Charlotte U. Harper

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Ge	atl.	am	ام	n •
MO.	FILI	2111		16.

The current list	ing of officers and director	Of ExxonMobil Oil Corporation	(Name of
Corporation), of	New York	(State) is as follows:	
President		OFFICERS	
•	F.A. Risch	Address 5959 Las Colinas Blvd. Irv	ing. TX 75039
Vice President	K.T. Koonce	Address 800 Bell Street Houston, T	X 77002
Secretary	F.L. Reid	Address 5959 Las Colinas Blvd. Irv	ing. TX 75039
Treasure	B.A. Maher	Address 5959 Las Colinas Blvd. Irvi	ng. TX 75039
		DIRECTORS	
Name D.D. Hun	nphreys	Address 5959 Las Colinas Blvd. Irving	. TX 75039
Name P.A. Har	ison		
Name T.P. Ton	vnsend		
Name B.A. Mat			
Name <u>F.A. Ris</u>	ech	Address 5959 Las Colinas Blvd. Irving,	
		Singerely, Marria Alex Correa	
and in th	e custody of Corporation S	pertaining to ExxonMobil Oil Corporation cords and accounts covering business for the State Service Company (Agent), Phone: 1 (800) 9	e of <u>Utah</u>
	Can venter	• AVI SOUTH Main Street, Salt Lake City. Utah 84111-	2218
14 2 21 a		Signature	
(CORPORATE SE	AL)	AGENT AND ATTHENEY IN FACT	
		Title	
They are the first of	-	•	

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Parice M. Phillip Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504 2) 14-20-0603-6505 3) 14-20-0603-6506 4) 14-20-0603-6508 5) 14-20-0603-6509 6) 14-20-0603-6510 7) 14-20-0603-7171 8) 14-20-0603-7172A 9) 14-20-600-3530 10) 14-20-603-359 11) 14-20-603-368 12) 14-20-603-370 13) 14-20-603-370A 14) 14-20-603-372 15) 14-20-603-372A
- 18) 14-20-603-5448 19) 14-20-603-5449

14-20-603-4495

14-20-603-5447

16)

17)

- 20) 14-20-603-5450
- 21) 14-20-603-5451

CHUBB GROUP OF INSURANCE COMPANIES

(4) (5) VH (3) (7) Shuth, Suite 1901, Mouston (Texas, 77027-3301 (4) (7) (7) 737 74600 r February (713) 297-4760 NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact



POWER OF ATTORNEY

Federal Insurance Company Vigilant Insurance Company Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint

R.F. Bobo, Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secretary

STATE OF NEW JERSEY } ss.

County of Somersel

On this 10th day of May, 2001 , before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duty swom, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by airthority of the By-Laws of said Companies; and that he signature of Frank E. Robertson, and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E.

Notary Public State of New Jersey

No. 2231647

harmalrice

Commission Expires Oct 28 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facelmile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facaimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surely business in all 50 of the United States of America and the District of Columbia and are authorized by the U.S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U.S. Virgin Islands, and Federal is licensed in American Samoa, Guarn, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001







Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

CSC.

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 No.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

OF

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Lew, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the smendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

(b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby smended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this <u>22nd</u> Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS

COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22-4 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



CSC CSC

5184334741

06/01 '01 09:01 NO 411 02/02 6/01 '07 09:00 NO 411 02/02 010601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK DEPARTMENT OF STATE

Filed by: EXXONMOBIL CORPORATION

(Name)

FILED JUN 0 1 2001

TAX\$

5959 Las Colinas Blvd.

(Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)

JUL 6 5 2001 WALL OF NOTE ESTABLE SERVICES

010601000

,TEL=5184334741

06/01/01 08:19

≃> CSC

State of New York }
Department of State }

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, e	effective:	06-01-2001					
FROM: (Old Operator):		TO: (New Op	erator):				
MOBIL EXPLORATION & PRODUCTION		EXXONMOBIL OIL CORPORATION					
Address: P O BOX DRAWER "G"		Address: USV					
CORTEZ, CO 81321		HOUSTON, T	X 77210-43	58			
Phone: 1-(970)-564-5212		Phone: 1-(713)		4.			
Account No. N7370		Account No.					
CA No.		Unit:	RATHER	FORD			
WELL(S)							
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL	
NAME	RNG		NO	TYPE	TYPE	STATUS	
RATHERFORD UNIT 14-41	14-41S-23E	43-037-31623	6280	INDIAN	OW	P	
RATHERFORD UNIT 24-41		43-037-31132		INDIAN	OW	P	
RATHERFORD UNIT 24-32	24-41S-23E	43-037-31593	6280	INDIAN	OW	S	
3-12	03-41S-24E	43-037-15620	6280	INDIAN	OW	P	
4-14	04-41S-24E	43-037-16163	6280	INDIAN	OW	P	
4-34			6280	INDIAN	OW	P	
5-34		43-037-15983		INDIAN	OW	P	
RATHERFORD UNIT 7-11	07-41S-24E	43-037-31163	6280	INDIAN	OW	P	
RATHERFORD UNIT 7-13			6280	INDIAN	OW	P	
RATHERFORD UNIT 7-22			6280	INDIAN	OW	P	
RATHERFORD UNIT 7-24			6280	INDIAN	OW	S	
RATHERFORD UNIT 7-44		43-037-31189	6280	INDIAN	OW	S	
8-12		43-037-15991	6280	INDIAN	OW	P	
8-21		43-037-15993	6280	INDIAN	OW	S	
8-23	08-41S-24E	43-037-15994	6280	INDIAN	OW	P	
8-32	08-41S-24E	43-037-15995	6280	INDIAN	OW	P	
8-34	08-41S-24E	43-037-15996	6280	INDIAN	OW	P	
8-41	08-41S-24E	43-037-15997	6280	INDIAN	OW	S	
9-12	09-41S-24E	43-037-15126	6280	INDIAN	ow	P	
9-14	09 - 41S-24E	43-037-15127	6280	INDIAN	OW	P	
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001							
 (R649-8-10) Sundry or legal documentation was received a The new company has been checked through the Department of the Department			***************************************	-	ase on:	04/09/2002	
4. Is the new operator registered in the State of Utah:	YES	Business Numl	oer:	579865-014	3		
5. If NO , the operator was contacted contacted on:	N/A	-					

6.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or India		s approved IA-06/01/01	•	, name change,	
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit or	perator for wells l	isted on:	06/01/2001		
8.	Federal and Indian Communization Agreem The BLM or BIA has approved the operator for all we	, ,		N/A		
9.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the				Transfer of Autho N/A	ority to Inject,
D	ATA ENTRY:					
1.	Changes entered in the Oil and Gas Database on:	04/15/2002				
2.	Changes have been entered on the Monthly Operator C	Change Spread Sl	neet on:	04/15/2002		
3.	Bond information entered in RBDMS on:	N/A				
4.	Fee wells attached to bond in RBDMS on:	<u>N/A</u>				
S]	State well(s) covered by Bond Number:	N/A				
FI	EDERAL WELL(S) BOND VERIFICATION:	•				
1.	Federal well(s) covered by Bond Number:	<u>N/A</u>				
IN 1.	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	80273197				
FI	EE WELL(S) BOND VERIFICATION:				.:	
1.	(R649-3-1) The NEW operator of any fee well(s) listed of	covered by Bond 1	Number	N/A		
	The FORMER operator has requested a release of liabilit The Division sent response by letter on:	ty from their bond N/A	on:	N/A		
	CASE INTEREST OWNER NOTIFICATION (R649-2-10) The FORMER operator of the fee wells has of their responsibility to notify all interest owners of this of	been contacted ar	nd informed N/A	by a letter fron	1 the Division	
CC	DMMENTS:					
						

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING	;
1. DJJ	
2. CDW	

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006
	TO: (New Operator):	
FROM: (Old Operator): N1855-ExxonMobil Oil Corporation	N2700-Resolute Natural	Resources Company
PO Box 4358	1675 Broadway,	Suite 1950
Houston, TX 77210-4358	Denver, CO 8020	2
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-4600	
CA No.	Unit:	RATHERFORD
OPERATOR CHANGES DOCUMENTATION		
Enter date after each listed item is completed		
1. (R649-8-10) Sundry or legal documentation was received from the	e FORMER operator on:	4/21/2006
2. (R649-8-10) Sundry or legal documentation was received from the	e NEW operator on:	4/24/2006
3. The new company was checked on the Department of Commercial	e, Division of Corporatio	ons Database on: 6/7/2006
4. Is the new operator registered in the State of Utah: YES	Business Number:	5733505-0143
5. If NO , the operator was contacted contacted on:		
6a. (R649-9-2)Waste Management Plan has been received on:	requested	
6b. Inspections of LA PA state/fee well sites complete on:	n/a	
6c. Reports current for Production/Disposition & Sundries on:	ok	
7. Federal and Indian Lease Wells: The BLM and or the	BIA has approved the	merger, name change,
or operator change for all wells listed on Federal or Indian leases	on: BLM	n/a BIA not yet
8. Federal and Indian Units:		
The BLM or BIA has approved the successor of unit operator for	or wells listed on:	not yet
9. Federal and Indian Communization Agreements ('CA"):	
The RIM or RIA has approved the operator for all wells listed	within a CA on:	
10 Underground Injection Control ("UIC") The I	Division has approved UIC	Form 5, Transfer of Authority to
Inject, for the enhanced/secondary recovery unit/project for the v	vater disposal well(s) listed	d on: 6/12/2006
DATA ENTRY:		
1. Changes entered in the Oil and Gas Database on:	6/22/2006	(1001000)
2. Changes have been entered on the Monthly Operator Change S	pread Sheet on:	6/22/2006
3. Bond information entered in RBDMS on:	n/a	
4. Fee/State wells attached to bond in RBDMS on:	<u>n/a</u> 6/22/2006	
5. Injection Projects to new operator in RBDMS on:6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a	1
BOND VERIFICATION:		
1. Federal well(s) covered by Bond Number:	n/a	
2. Indian well(s) covered by Bond Number:	PA002769	
3. (R649-3-1) The NEW operator of any fee well(s) listed covered	by Bond Number	n/a
a. The FORMER operator has requested a release of liability from t		
The Division sent response by letter on:	n/a	
LEASE INTEREST OWNER NOTIFICATION:		
4. (R649-2-10) The FORMER operator of the fee wells has been co	ntacted and informed by a	letter from the Division
of their responsibility to notify all interest owners of this change of	on: n/a	
COMMENTS:		

STATE OF LITAH

	DEPARTMENT OF NATURAL RESOURDIVISION OF OIL, GAS AND MI				SE DESIGNATION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPORTS	S ON WEL	 LS	6. IF IN	DIAN, ALLOTTEE OR TRIBE NAME: ajo Tribe
Do not use this form for proposals to dril	new wells, significantly deepen existing wells below cur laterals. Use APPLICATION FOR PERMIT TO DRILL for	rent bottom-hole dept	h, reenter plugged wells, or to	7. UNI	r of CA AGREEMENT NAME:
TYPE OF WELL OIL WELI		Jnit Agreeme		100000000000000000000000000000000000000	L NAME and NUMBER: attached list
2. NAME OF OPERATOR: Resolute Natural Resour	ces Company N2700			3 000	NUMBER: ched
3. ADDRESS OF OPERATOR:		80202	PHONE NUMBER: (303) 534-4600		ELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See	attached list			COUNT	v: San Juan utah
11. CHECK API	PROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	ORT, O	R OTHER DATA
TYPE OF SUBMISSION		T	YPE OF ACTION		
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start:	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS	DEEPEN FRACTURE NEW CONS OPERATOR	TRUCTION		REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	RECLAMAT			VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all I	pertinent details in	cluding dates, depths, volu	mes, etc.	
Effective June 1, 2006 E Resolute Natural Resou A list of affected produci UIC Form 5, Transfer of	exxon Mobil Oil Corporation resignates Company is designated as sung and water source wells is attac	s as operator accessor oper hed. A separ	of the Ratherford larator of the Ratherford late of affected injections.	Unit. Als ord Uni	t. ells is being submitted with
- Dwight I	= NANgern		Regulatory Cod	ordinato	or .
SIGNATURE LITE	11/2	DA1	4/20/2006		
(This space for State use only)		• /		RE	CEIVED

APPROVED 6 137 106

Carlene Russell

Division of Oil, Gas and Mining Littons on Reverse Side)

APR 2 4 2006

Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS AND MIN	5. LEASE DESIGNATION AND SERIAL NUMBER:	
SUNDRY NOTICES AND REPORTS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below curre drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL for	7. UNIT OF CA AGREEMENT NAME: UTU68931A	
A TAPE OF WELL		8. WELL NAME and NUMBER: Ratherford
		9. API NUMBER:
2. NAME OF OPERATOR: ExxonMobil Oil Corporation N / 855		attached
3. ADDRESS OF OPERATOR:	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT: Aneth
	77210-4358 (281) 654-1936	Alleui
4. LOCATION OF WELL FOOTAGES AT SURFACE:	公理的 宝珠	COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE REPO	RT. OR OTHER DATA
	TYPE OF ACTION	
TYPE OF SUBMISSION ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
✓ NOTICE OF INTENT	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
(Submit in Duplicate) ALTER CASING Approximate date work will start: CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
C SULVESTING PROPERTY OF THE AND	OPERATOR CHANGE	TUBING REPAIR
6/1/2006 CHANGE TO PREVIOUS PLANS CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
	PLUG BACK	WATER DISPOSAL
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
		as atc
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all p	erinent details including dates, deptils, volum	63, 010
ExxonMobil Oil Corporation is transferring operatorship of Company. All change of operator notices should be made. Attached please find a listing of producers and water source.	effective as of 7:00 AM MST Off	ease to Resolute Natural Resources June 1, 2006.
	Permitting Supe	rvisor
NAME (PLEASE PRINT) Laurie Kilbride	TITLE FERTILLING CUPS	
SIGNATURE SAMA: B. Kelbud	DATE 4/19/2006	

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instruction

(See Instructions on Reverse Side)

RECEIVED APR 2 1 2006

Ratherford Unit - Producer Well List

			r	-T	T		_	Location	1	
	i	A D1 #	Chatus	1 0000 #	800	ĪΤ	R	QTR/QTR		EWFoot
Lease	Number	API#	Status	Lease #	Sec		Λ	GINGIN	1431 001	LVVI OOL
	<u> </u>	10007011000001	Design and the second	44000000464	1	415	225	SWSW	0660FSL	0660FWL
Ratherford	01-14	430373116200S1	Producing	1420603246A	1			SWSE	1133FSL	1980FEL
Ratherford	01-34	430371638501S1	SI	1420603246A	1	4			0860FNL	0350FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11			NENE		0660FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11			NESE	1980FSL	
Ratherford	12-12	430373119000S1	Producing	1420603246A	12			SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12			SWSW		4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12			NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12			NESW		3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12			SWNE	1820FNL	-
Ratherford	12-34	430373112600S1	Producing	1420603246A	12			SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	418		SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	415	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	41S	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	418	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	418	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	418	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14			SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	418	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24			SWNE	2121FNL	1846FEL
Ratherford	24-32	430373113200S1	Producing	1420603247A	24			NENE	0660FNL	0710FEL
Ratheriolu	24-41	43037311020001	i roddollig	1 120000	 	1				
Datharford	17 11	430373116900S1	Producing	1420603353	17	415	24F	NWNW	1075FNL	0800FWL
Ratherford	17-11	43037311090031 430373113301S1	Producing	1420603353	17			NWSW	2100FSL	0660FWL
Ratherford	17-13	430373113301S1	Producing	1420603353	17			SENW	1882FNL	1910FWL
Ratherford	17-22	43037311700131 430373104400S1	Producing	1420603353	17			SESW	0720FSL	1980FWL
Ratherford	17-24			1420603353	17			NWNE	0500FNL	1980FEL
Ratherford	17-31	430373117800S1	Producing	1420603353	17			NWSE	1980FSL	1845FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	415			1980FNL	0660FEL
Ratherford	17-42	430373117700S1	Producing		17		24E		0660FSL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353		_	_			0730FWL
Ratherford	18-11	430371573300S1	SI	1420603353	18			NWNW		
Ratherford	18-13	430371573401S1	Producing	1420603353	18			NWSW		0500FWL
Ratherford	18-22	430373123600S1	Producing	1420603353	18			SENW		2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18			SESW		1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18			NWNE		2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18			NWSE		1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18			SENE		0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18		_	SESE		0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19			NWNW		0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19		_	NWSW		0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19			SENW		
Ratherford	19-24	430373175401S1	Producing	1420603353	19	418	24E	SESW	0600FSL	1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	418	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	418	24E	NWSE		1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19	418	24E	SENE	1880FNL	. 0660FEL
Ratherford	19-44	430373108100S1	Producing	1420603353	19		_	SESE	0660FSL	0660FEL
Ratherford	19-44	430373159600S1	Producing	1420603353	19			SENE		. 0030FEL
Ratherford	20-11	43037310300051	Producing	1420603353	20			NWNW		0660FWL
		43037310490031 430373091700S1	Producing	1420603353	20			NWSW		. 0500FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20			SENW		2090FWL
Ratherford	20-22		Producing	1420603353	20			SESW		. 1820FWL
Ratherford	20-24	430373091800S1	Trioducitie	1720003333	1 20	- 1 0	1-7-	.,0_0.	,,,,,,,,,	

Ratherford Unit - Producer Well List

								Locatio	n	Atavat - Allanies -
Lease	Number	API#	Status	Lease #	Sec	T	R	QTR/QTR	NSFoot	EWFoot
				3:						
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S		NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S		NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	418		SENE		0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	415		SESE		0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	415		SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	418	24E	NWSW	1615FSL	1276FWL
		7=								05005)4#
Ratherford	15-12	430371571501S1	Producing	1420603355	15			SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15			SENW		2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15			SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	418		NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S		NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	415		SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	418		NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	418		SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	415		NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	418		NESW		2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	415		NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21			SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	418		SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	415	24E	NWSE	2511FSL	2446FEL
			100		<u> </u>	 	L.		DOCCENII.	DZ40EXA
Ratherford	07-11	430373116300S1	Producing	1420603368	7	415		NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	415		NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	_		SENW	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7			SESW	0880FSL	2414FWL 0555FEL
Ratherford	07-44	430373118900S1	SI	1420603368	7			SESE	0737FSL	0520FWL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	-		SWNW	1909FNL 0616FNL	1911FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	418		NENW	1920FSL	2055FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	415		NESW	1980FNL	1980FEL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	415		SWNE	0660FSL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	418	24E	SVVSE	UOOUFSL	ISOUFEL
				4.400000.4005	+ -	440	245	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	1415	245	SVVSE	00001 SL	13001 LL
		40007404070004	Draduaina	14206034037	11	1/18	245	SWSW	0660FSL	0660FWL
Ratherford	11-14	430371616700S1	Producing	14200034037	+ '-	1413	246		100001 01	00001 112
		40007457440004	SI	14206034043	9	419	24F	SWSE	0660FSI	1980FEL
Ratherford	09-34	430371571100S1	Producing	14206034043	10			SWNW		0660FWL
Ratherford	10-12	430371571200S1 430371571300S1	Producing	14206034043	10			swsw	0510FSL	-
Ratherford	10-14	430371571400S1	TA	14206034043	10	_		SWNE		1910FEL
Ratherford	10-32	430371371400S1	TA	14206034043	10			SESE	0820FSL	
Ratherford	10-44	43037304510051	11/2	14200034040	1 10	+	1		1	
Dath a fairl	20.44	430373105300S1	Producing	1420603407	29	415	24F	NWNW	0770FNL	0585FWL
Ratherford	29-11		Producing	1420603407	29			SENW		1370FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29			NWNE		2140FEL
Ratherford	29-31	430373091401S1	SI	1420603407	29			NWSE		1820FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29			SWSE		2096FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29			SENE		0660FEL
Ratherford	29-42	430373093700S1	Producing	1420603407	30			SWNE	1975FNL	
Ratherford	30-32	430371534200S1	Producing	172000707	+ ==	1	+			= 17
Doth a of a set	20.44	430373044600S1	Producing	1420603409	28	415	24F	NWNW	0520FNL	0620FWL
Ratherford	28-11	4303/304460031	rioudding	172000700	+	+-	+	+		1

					Location				n i	
Lease	Number	API#	Status	Lease #	Sec	Т	R	QTR/QTR	NSFoot	EWFoot
Ratherford	09-12	430371512600S1	Producing	14206035045	9	415	24E	SWNW	1865FNL	0780FWL
Ratherford	09-14	430371512700S1	Producing	14206035046	9	418	24E	SWSW	0695FSL	0695FWL
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL
Ratherford	03-12	430371562000S1	Producing	14206036506	3	418	24E	SWNW	2140FNL	0660FWL

Water S			
RU	S1	4303700001	Active
RU	S2	4303700002	Active
RU	S3	4303700003	Active
RU	S4	4303700004	Active
RU	S5	4303700005	Active
RU	S6	4303700006	Active
RU	S7	4303700007	Active
RU	S8	4303700008	Active
RU	S9	4303700009	Active
RU	S10	4303700010	Active
RU	S11	4303700011	Active
RU	S12	4303700012	Active
RU	S13	4303700013	Active
RU	S14	4303700014	Active
RU	S16	4303700016	Active
RU	S17	4303700017	Active